

# Master's theses proposals

# Department of Biotechnology Department of Biology

This document contains proposed projects relevant for students at MSc Biotechnology (2- and 5-year study), MSc Aquatic Food Production, the 2- and 5-year MSc Chemical Engineering and Biotechnology (MIKJ/MTKJ) and MSc Nanotechnology (MTNANO) (sivilingeniørstudiet).

The different proposals might have different credits. This relates to the proposed theses being planned for different study programmes: the MSc Biotechnology (60 credits), MSc Aquatic Food Production (30 credits) or MSc Chemical Engineering and Biotechnology / Nanotechnology (30 credits). Some proposals may also be relevant as specialization project for the technology studies (15 credits)

Please contact supervisor directly if you have any questions regarding theses' proposals.

Academic year 2016/17

Date: 06.09.2016 (update 5)

# Contents

D	epartment of Biotechnology	5
	Development of chitin-based sorbents for protein purification	6
	Purification and characterization of design mannuronan-c-5 epimerases	
	New heterologous protein expression system for isotope labeled proteins	
	Characterization of novel proteins for biorefinery applications	
	Gene expression and protein interaction networks in <i>Arabidopsis thaliana</i> during streconditions	ess
	Comparative study of gene expression networks in Synechocystis sp. PCC6803	10
	Comparative study of gene expression networks in <i>Homo sapiens</i>	10
	Computational modeling of two-species microbial consortium	11
	Analysis of genotype-phenotype networks constructed from FBA modeling	11
	Computational modeling of antibiotic resistance spreading through horizontal gene transfer in bacterial populations	11
	Computational modeling of evolution of antibiotic resistance in a bacterial species	11
	Understanding the mucosal barrier: Bacteria-mucus interactions	12
	Microbial control in land based recirculating aquaculture systems	
	Microbial stabilization: a tool for combating pathogens in aquaculture systems?	
	Effects of salmon lice treatment on the barrier function and the colonization of skin	
	mucus	
	Study of different promoters in the thermotolerant methylotrophic bacterium Bacillus	
	·	
	methanolicus	16
	Production of therapeutic proteins in alternative bacterial species	16 17
	Production of therapeutic proteins in alternative bacterial species.  Molecular investigation of the beer brewing process	16 17 18
	Production of therapeutic proteins in alternative bacterial species  Molecular investigation of the beer brewing process  Physiological studies of biofuel producing <i>Zymomonas mobilis</i>	16 17 18 19
	Production of therapeutic proteins in alternative bacterial species.  Molecular investigation of the beer brewing process	16 17 18 19 20
	Production of therapeutic proteins in alternative bacterial species	16 17 18 19 20
	Production of therapeutic proteins in alternative bacterial species  Molecular investigation of the beer brewing process  Physiological studies of biofuel producing <i>Zymomonas mobilis</i> New biopolymer hybrids by oligosaccharide conjugation  Determination and analysis of novel bioactive compounds obtained from macro- and micro-algae	16 17 18 19 20 d 21
	Production of therapeutic proteins in alternative bacterial species  Molecular investigation of the beer brewing process  Physiological studies of biofuel producing <i>Zymomonas mobilis</i> New biopolymer hybrids by oligosaccharide conjugation  Determination and analysis of novel bioactive compounds obtained from macro- and micro-algae  Determination of quality metabolites in different brands of cod fillets	16 17 18 19 20 d 21 23
	Production of therapeutic proteins in alternative bacterial species.  Molecular investigation of the beer brewing process.  Physiological studies of biofuel producing <i>Zymomonas mobilis</i> .  New biopolymer hybrids by oligosaccharide conjugation.  Determination and analysis of novel bioactive compounds obtained from macro- and micro-algae.  Determination of quality metabolites in different brands of cod fillets.  Development of a methodology to determine frauds in salmon products.	16 17 18 29 21 22 23
	Production of therapeutic proteins in alternative bacterial species  Molecular investigation of the beer brewing process  Physiological studies of biofuel producing <i>Zymomonas mobilis</i> New biopolymer hybrids by oligosaccharide conjugation  Determination and analysis of novel bioactive compounds obtained from macro- and micro-algae  Determination of quality metabolites in different brands of cod fillets  Development of a methodology to determine frauds in salmon products  Determination of stress biomarkers in human saliva	16 17 18 19 20 d d 21 23 24 25
	Production of therapeutic proteins in alternative bacterial species	16 17 18 19 20 ! 21 23 24 25
	Production of therapeutic proteins in alternative bacterial species	16 17 18 19 20 d 21 23 24 25 26
	Production of therapeutic proteins in alternative bacterial species	16 17 18 19 20 d 21 23 25 25 26 27
	Production of therapeutic proteins in alternative bacterial species	16 17 18 19 20 d 21 22 23 25 26 27 29

	Storage quality of ready-to-eat Atlantic salmon treated with soluble gas stabilization (SGS)-technology and gentle heating	. 32
	Characterization of waste streams	
	Funksjonelle ingredienser i mat	
	Technological solutions for production of safe and high quality proteins from salmon rest raw materials	
	Extraction of fucoxanthin from macroalgae	. 36
	Quality changes of macroalgae during preservation and processing	. 37
	Marine protein ingredients in functional food	. 38
	Revealing the mechanisms underlying the adhesion of bacteria to mucosa	. 39
	Importance of altered mucin glycosylation for molecular interactions and cancer progression.	<mark>. 40</mark>
	Mode of action of antimicrobial agents	. 41
	Interactions between mycotoxins and the S. cerevisiae cell wall	
	Alginate matrices for tissue engineering	
	Strategies for stabilising alginate beads of intermediate G content	. 44
	Evaluation of reactive oxygen species (ROS) production in microalgae	. 45
	Random mutagenesis as a tool for strain improvement in microalgae	. 46
	Molecular interactions and new gelling concepts between chitosan and fucoidan	. 47
С	Department of Biology	48
	Department of Biology	'S
	Department of Biology  Spatio-temporal dynamics of genes for ecologically important traits in house sparrow	's . 49
	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows	/s . 49 . 50
	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows.  The genetics of dispersal in house sparrows.	rs . 49 . 50 . 51
	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows	rs . 49 . 50 . 51 . 52
	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows.  The genetics of dispersal in house sparrows.  Heritability and fitness effects of egg colour in house sparrows.  Population genetics of water voles.  Induction of genotoxic endpoints and biotransformation enzymes in liver cells (cell line).	/s . 49 . 50 . 51 . 52 . 53
С	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows.  The genetics of dispersal in house sparrows.  Heritability and fitness effects of egg colour in house sparrows.  Population genetics of water voles.  Induction of genotoxic endpoints and biotransformation enzymes in liver cells (cell line exposed to defined mixtures of chemical compounds.	/s . 49 . 50 . 51 . 52 . 53 . 54
E	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows.  The genetics of dispersal in house sparrows.  Heritability and fitness effects of egg colour in house sparrows.  Population genetics of water voles.  Induction of genotoxic endpoints and biotransformation enzymes in liver cells (cell linexposed to defined mixtures of chemical compounds.  Ecological Urban Production of Vegetables.	rs . 49 . 50 . 51 . 52 . 53 . 54 . 55
	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows  The genetics of dispersal in house sparrows  Heritability and fitness effects of egg colour in house sparrows  Population genetics of water voles	rs . 49 . 50 . 51 . 52 . 53 . 54 . 55
С	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows.  The genetics of dispersal in house sparrows.  Heritability and fitness effects of egg colour in house sparrows.  Population genetics of water voles.  Induction of genotoxic endpoints and biotransformation enzymes in liver cells (cell line exposed to defined mixtures of chemical compounds.  Ecological Urban Production of Vegetables.  Functional analysis of candidate genes mediating plant cell wall integrity maintenance.	7s . 49 . 50 . 51 . 52 . 53 . 54 . 55 ee
	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows.  The genetics of dispersal in house sparrows.  Heritability and fitness effects of egg colour in house sparrows.  Population genetics of water voles.  Induction of genotoxic endpoints and biotransformation enzymes in liver cells (cell linexposed to defined mixtures of chemical compounds.  Ecological Urban Production of Vegetables.  Functional analysis of candidate genes mediating plant cell wall integrity maintenance.  Development of novel analytical tools to analyze plant cell wall signaling.	/s . 49 . 50 . 51 . 52 . 53 . 54 . 55 ee . 56
С	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows	/s . 49 . 50 . 51 . 52 . 53 . 54 . 55 . 56 . 57 . 58 ent
	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows.  The genetics of dispersal in house sparrows.  Heritability and fitness effects of egg colour in house sparrows.  Population genetics of water voles.  Induction of genotoxic endpoints and biotransformation enzymes in liver cells (cell linexposed to defined mixtures of chemical compounds.  Ecological Urban Production of Vegetables.  Functional analysis of candidate genes mediating plant cell wall integrity maintenance.  Development of novel analytical tools to analyze plant cell wall signaling.  Lipid signaling mechanisms in inflammation.	/s . 49 . 50 . 51 . 52 . 53 . 54 . 55 . 57 . 58 ent . 59
	Spatio-temporal dynamics of genes for ecologically important traits in house sparrow  The genetic basis for inbreeding depression in house sparrows.  The genetics of dispersal in house sparrows.  Heritability and fitness effects of egg colour in house sparrows.  Population genetics of water voles.  Induction of genotoxic endpoints and biotransformation enzymes in liver cells (cell line exposed to defined mixtures of chemical compounds.  Ecological Urban Production of Vegetables.  Functional analysis of candidate genes mediating plant cell wall integrity maintenance.  Development of novel analytical tools to analyze plant cell wall signaling.  Lipid signaling mechanisms in inflammation.  Implementation of Boolean models for cell perturbation analysis and drug development.  Identification of key cellular targets of toxicants as potential xenosensor biomolecules.	(s . 49 . 50 . 51 . 52 . 53 (e) . 55 . 56 . 57 . 58 ent . 59 es . 60

Krebs cycle in fish performance and quality	62
MACROSEA - A knowledge platform for industrial macroalgae cultivation in Norway (2016-2019)	63
Nitrogen-rich waste water from fish farming as a resource in cultivation of microalgae	65
Rhodomonas sp. og N-omsetning: Optimalisering av dyrkingsmedium i produksjonssammenheng	66
Bruk av nitrogenrikt vann fra fiskeoppdrett til produksjon av mikroalger	67
Sea lice (L. salmonis) microbiota and their role in dispersal of pathogens	68
Upscaling microalgae biomass production and post-harvesting processing to extract high-value compounds	69
Høyverdi-komponenter fra marine mikroalger: Protein-og lipidinnhold utvalgte mikroalger under varierende dyrkingsbetingelser.	70

# **Department of Biotechnology**

Hovedveileder:  Main supervisor:	Finn L. Aachmann
Kontaktinformasjon / epost Contact information / email:	finn.l.aachmann@ntnu.no
Webside / webpage:	http://www.ntnu.edu/employees/finn.l.aachmann
Biveileder/-e:	Gaston Courtade
Co-supervisor/-s:	
Arbeidstittel på oppgaven/ Preliminary title:	Development of chitin-based sorbents for protein purification

The focus of this project will be to design and construct chitin-based materials for the extraction and purification of proteins from complex biological mixtures.

# Bakgrunn og mål / Background and Objectives:

The production of proteins is a high-value industry with applications in all branches of biotechnology. A key step of the protein-production process is to achieve a high degree of purity of the protein products. Affinity chromatography is a powerful tool for the purification of specific proteins from a complex biological mixture, such as a fermenter. Chitin is a polysaccharide that is a good candidate for use in affinity chromatography because it selectively adsorbs proteins that bind chitin. In fact, chitin resins are already employed in affinity chromatography columns. However, the use of columns requires some degree of sample preparation and filtration. The aim of this project is to develop chitin-based materials that can be used for direct extraction of proteins from biological mixtures. Such materials would provide a rapid alternative method to extract and purify target proteins at different stages of a process without the need for sample preparation.

- > Development of methods for the production of chitin fibers.
- > Characterization of chitin fibers (strength, swelling, protein adsorption).
- > Design of a protocol for the use of chitin fibers in protein purification applications.


Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MTNANO
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng
Credits (ECTS):	60 credits / 30 credits

Hovedveileder:  Main supervisor:	Finn L. Aachmann
Kontaktinformasjon / epost Contact information / email:	finn.l.aachmann@ntnu.no
Webside / webpage:	http://www.ntnu.edu/employees/finn.l.aachmann
Biveileder/-e:	Marit Sletmoen og/eller Anne Tøndervik (Sintef)
Co-supervisor/-s:	, , ,
Arbeidstittel på oppgaven/	Purification and characterization of design mannuronan-c-5
Preliminary title:	epimerases

The focus of this project will be to study the interaction of alginate C-5 epimerases with substrate, and its product profile using biophysical techniques. The specific content of project may be adapted to the candidate's preferences.


#### Bakgrunn og mål / Background and Objectives:

Azotobacter vinelandii is a soil bacteria, which are able to produce alginate, a polysaccharide. Alginate consists of mannuronic acid (M) and guluronic acid (G), and the properties of the polymer are, among other things, dependent on the distribution of these units. A. vinelandii synthesises alginate by first making polymannuronic acid (poly-M), of which some M-units are converted to G-units. This reaction is catalyzed by enzymes called epimerases, and A. vinelandii produce seven enzymes of this kind; AlgE1 to AlgE7. Poly-M can be epimerized in vitro and the various epimerases are shown to give different G-contents and different distributions of G-unites in the alginate that is produced



A-module of AlgE4

Certain alginates have turned out to be bioactive, and are therefore interesting with regards to medical applications. Researchers at NTNU/Sintef are trying to find new enzymes that can create alginates with tailored properties for these kinds of applications. This project will be about characterization of alginate epimerases. This involves protein production and purification of the enzymes. Characterization of the properties of the enzymes with regard to epimerization of poly-M. Gelling properties of the generated alginates and characterization.



Epimerase activity profile by NMR

- Production and purification of the alginate epimerases.
- Characterization of the enzymes with regard to activity, substrate specificity and reaction pattern. Relevant methods for the characterization are Isothermal titration calorimetry (ITC), atomic force microscopy (AFM), Ion chromatography system (ICS), NMR and Time-resolved NMR.
- Characterization of epimerized alginates with regard to gelling properties, relevant for their biomedical applications.

Passer for (angi studie-	
retning/hovedprofil/-er):	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MTNANO
Suitable for main profiles:	
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng
Credits (ECTS):	60 credits / 30 credits

Hovedveileder:  Main supervisor:	Finn L. Aachmann
Kontaktinformasjon / epost Contact information / email:	finn.l.aachmann@ntnu.no
Webside / webpage:	http://www.ntnu.edu/employees/finn.l.aachmann
Biveileder/-e:	Trygve Brautaset
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	New heterologous protein expression system for isotope
Preliminary title:	labeled proteins

This project will focus on the further development of a new set of expression vectors for production of isotope labeled protein (for NMR applications) based on the Pm/XyIS promoter system. The specific content of the project may be adapted to the candidate's preferences.

# Bakgrunn og mål / Background and Objectives:

A common bottleneck in heterologous protein expression of isotope labelled protein in bacteria is the promoter system used. These promoter systems are mainly based on the carbohydrate metabolism of the cell, like the *Lac* and *ara—BAD* operons. This poses a problem when growing cells in a minimal medium with glucose as the sole carbon source, which results in poor regulation of the promoter system and low expression of the target protein.

8870 bps M13 ori sok RNA tLPP HindIII neo trfA cop271C A solution to the problem is to use a promoter system that is not Vector map of LPMO

influenced by the carbohydrate metabolism of the cell. The group of Prof. Svein Valla at our department has developed an expression system based on the *Pm*/XylS promoter system, which

Expression cassette

Pm Ndel

SmCBP21-op

, Ncol

terminator

xylS

oriT

uses benzoate derivatives as inducers of the protein expression. Recently, we have published a work where Pm/XyIS promoter system was used for the expression of an isotope labeled LPMO (lytic polysaccharide monooxygenase).

Aim of this project is to construct a new set of expression vectors for production of isotope labeled protein where expression level of the target protein is independent of media composition. The developed expression system will offer a large potential within structural biology and for protein expression in general.

- State-of-the-art molecular genetics.
- Characterization of the of the expression system.
- Production and purification of the target protein.


Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MTNANO
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng
Credits (ECTS):	60 credits / 30 credits

Hovedveileder: Main supervisor:	Finn L. Aachmann
Kontaktinformasjon / epost	finn.l.aachmann@ntnu.no
Contact information / email:	Titili.i.ddoffilidiffic
Webside / webpage:	http://www.ntnu.edu/employees/finn.l.aachmann
Biveileder/-e:	Gaston Courtade
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Characterization of novel proteins for biorefinery
Preliminary title:	applications

The focus of this project will be to study new carbohydrate active enzymes by using biophysical techniques such as NMR spectroscopy. The specific content of project may be adapted to the candidate's preferences.

#### Bakgrunn og mål / Background and Objectives:

Biorefineries where biomass from marine and forestry resources are converted to monosaccharides are a cornerstone of bioeconomy. These monosaccharides can be used to produce bioethanol and value-added products. However, the inefficient hydrolysis of insoluble biomass (chitin and cellulose) is a bottleneck in the biorefining process. A way to overcome this obstacle is through a new family of enzymes - lytic polysaccharide monooxygenases (LPMOs) – that enhance the biomass degradation process by the oxidative cleavage of glycosidic bonds in chitin and cellulose. Since 2010, we have studied LPMOs in cooperation with NMBU, and we are interested in gaining a better understanding of the function and mode of action of LPMOs.



- Recombinant protein production and purification.
- Acquisition of multidimensional NMR spectra and assignment of the protein backbone and side-chains.
- Protein structure determination.
- Dynamics studies with NMR spectroscopy and other techniques such as circular dichroism (CD).
- Measurements of interactions between LPMOs and other substrates/proteins.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MTNANO
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng
Credits (ECTS):	60 credits / 30 credits

# Advisor / Faglærer:

Prof. Eivind Almaas Dept. of Biotechnology

Office: Realfagbygget, D3-176

Ph. +47 735 97 860

Email: eivind.almaas@ntnu.no

Please feel free to stop by my office. If you are interested in these general topics, but have a different problem in mind – let's talk!

Most of these projects can be adjusted to fit a 60sp or 15+30sp profile.

# 1. Biological network analysis

Network analysis has been central to uncovering important principles of interactome organization. Gene expression correlation networks consist of genes that showing strong similarities or dissimilarities in their expression patterns, making it possible to identify important gene clusters associated with a given phenotype or biological function.

# a. Gene expression and protein interaction networks in *Arabidopsis thaliana* during stress conditions

Gen uttrykks- og protein interaksjonsnettverk i *Arabidopsis thaliana* under stress betingelser

In this project, the candidate will combine *Arabidopsis* mRNA expression data with its known protein interaction network. This project is in collaboration with Prof. Bones' group (IBI), which has generated transcription data on multiple conditions in *Arabidopsis*. The goal is to identify genes and gene clusters that change behavior during stress conditions, which may lead to the uncovering of functional pathways.

# b. Comparative study of gene expression networks in *Synechocystis sp. PCC6803*

## Sammenligning av gen-uttrykksnettverk i Synechocystis sp. PCC6803

In this project, the candidate will use a recently developed network approach (Voigt, Nowick & Almaas) to study evolution and conservation of gene expression correlations. The candidate will use the comprehensive database cyanoExpress, which contains gene expression data from 177 distinct genetic and environmental perturbation experiments for the cyanobacterium Synechocystis sp. PCC6803. Synechocystis is an important model organism for developing our understanding of photosynthesis, and the research focus will be on using network analysis methodology to study photosynthetic function. Co-mentor: Prof. Martin Hohmann-Marriott.

# c. Comparative study of gene expression networks in *Homo sapiens*Sammenligning av gen-uttryksnettverk i *Homo sapiens*

The ability to understand consequences of genetic variation among humans is a significant challenge in biology. The goal of this project is to use a recently developed network approach (Voigt, Nowick & Almaas) to study the variation of *gene co-expression patterns* in a recent high-quality gene-expression data set, GTEx

(http://www.gtexportal.org/). The candidate will further develop the approach as well as applying it to GTEx data using a variety of human tissue types.

# 2. Metabolic Engineering

Flux Balance Analysis (FBA) is the central approach in modeling genome-scale metabolism, with its capability for predicting metabolic phenotypes and identifying possible approaches for engineering cellular behavior. A genome-scale model may be generated within 48 hours, and the COBRA toolbox in MatLab or for the programming language Python will be used to analyze the models.

# a. Computational modeling of two-species microbial consortium Modellering av mikrobielt samfunn bestående av to organismer

Using the "Computation Of Microbial Ecosystems in Time and Space" (COMETS)<sup>1</sup> computational framework for simulating microbial metabolism using FBA in a spatial structure, the aim of this project is to evaluate the effect of different competitive strategies between two chosen microbes.

# b. Analysis of genotype-phenotype networks constructed from FBA modeling Analyse av genotype-fenotype nettverk fra FBA modellering

Using the FBA approach together with an in-house compendium of possible metabolic models, the aim of this project is to generate genotype-phenotype mappings for a large set of metabolic models and analyze the properties of these networks using complex network approaches.

# 3. Antibiotic resistance modeling

The spread of antibiotic resistance in pathogens is becoming a severe threat to modern medicine. While the level of antibiotics use in Norway is comparatively low to other parts of the world, widespread travel patterns are sure to bring resistant strains to Norway even if resistance is not developed locally.

# a. Computational modeling of antibiotic resistance spreading through horizontal gene transfer in bacterial populations

Modellering av spredning av antibiotikaresistens via horizontal gene utveksling i bakteripopulasjoner

The first part of this project consists of a literature survey of methods for computational modeling of antibiotic resistance spreading in bacterial populations, as well as mechanisms for known modes of horizontal gene transfer. The second part is to develop a model that will be solved computationally.

# b. Computational modeling of evolution of antibiotic resistance in a bacterial species

# Modellering av antibiotika resistens evolusjon i en bakterie

The first part of this project consists of a literature survey of methods for computational modeling of antibiotic resistance evolution in bacterial species, as well as mechanisms for resistance evolution. The second part is to develop a model that will be solved computationally.

-

<sup>1</sup> http://www.bu.edu/segrelab/comets/

Master thesis in Biotechnology, 15, 30, 60 sp

# Understanding the mucosal barrier: Bacteria-mucus interactions

#### Goal

In this interdisciplinary project, involving microbiology, rheology, and advanced high resolution microscopy, the aim is to elucidate how bacteria influence on the mechanical properties and the barrier function of mucus.

#### **Background**

Mucosal tissue, covering the body cavities of animals and the skin of fishes, constitutes a major barrier against microbes and other agents in the external environment. This barrier is permeable but selective, allowing the absorption of nutrients, electrolytes, and water, but preventing the penetration of pathogens, toxins, and antigens. It consists of a single layered sheet of epithelial cells covered with mucus. The mucus is continuously secreted and transported away from the epithelial cell layer, so that entrapped microbes or other agents are removed together with the mucus. Mucin glycoproteins are the major constituent of the mucus, and are responsible for the viscous properties. The mucus is colonized by resident microbiota, and this microbiota contributes to the barrier function and also influences on the mechanical properties of the mucus. However, the specific molecular mechanisms for interactions between bacteria and mucus and the implications for the barrier function are poorly understood.

In this project, we will take advantage of the expertise existing within several research groups at the Department of Biotechnology, to study mucus-bacteria interactions at a basic, molecular level. In particular, we will apply rheology, microscopy as well as microbiological approaches to examine consequences on barrier function and mechanical properties after exposure of mucus to various bacterial strains and communities. The focus will be on mucus from salmon skin, since this mucosal barrier is particularly important for fish health. Mucus with distinct properties, sampled for example from healthy individuals and from individuals exposed to sea lice, will be investigated.

# Work description

The final design of the master projects will be determined by the supervisors together with the master students. Up to three master students can be involved in the project. Relevant methods are:

- Cultivation of strains and selection for microbial communities with distinct properties
- Deep-sequencing approaches for taxonomic analysis of microbial communities associated with the salmon mucus
- Use of rheology and sensitive force probes to determine the viscoelastic properties of the mucus layer and how this changes after introduction of the microbial communities.
- Use of sensitive force probes to study the interaction between bacteria and mucus layer
- Characterisation of the mucosal barrier, including diffusion abilities of molecules through the barrier, using laser scanning fluorescence microscopy.

Supervisors: Catherine Taylor Nordgård (<u>catherine.t.nordgard@ntnu.no</u>), Marit Sletmoen (<u>marit.sletmoen@ntnu.no</u>), Torunn Forberg (<u>torunn.forberg@ntnu.no</u>), and Ingrid Bakke (ingrid.bakke@ntnu.no)

Master thesis in Biotechnology, 15, 30, 60 sp Microbial control in land based recirculating aquaculture systems

#### Goal

The objective of this master thesis is to identify factors that are decisive for creating microbial stability in recirculating aquaculture systems.

# **Background**

This master thesis will be part of the EU ERANET project MicStaTech, and the master student will work together with the project researchers. Water treatment and design of aquaculture systems are typically focused on optimising physicochemical water quality and efforts to maintain bacteria numbers low (i.e. by removing organic matter and disinfection). However, high bacteria numbers are not necessarily problematic for the cultured organisms as long as the system is bio-stable and all other requirements are met. In this project the main objective is to optimise the systems for microbial stability in the water instead of keeping low bacteria numbers, which has often been the main focus in RAS. This has implications for the technological solutions and optimal systems design. We are aiming at elucidating the underlying mechanisms to better understand the effects of water treatment on the microbial dynamics and for optimizing the microbial conditions for the reared fish.

# Work description

The project will involve experiments for freshwater and seawater in lab-scale continuous reactors. Effects of for example different hydraulic retention times and biofilm area per volume on the development of microbial communities will be examined. The composition of the microbial communities in both biofilm and in the water will be studied by a 16S rDNA amplicon based strategy (DNA extraction, PCR, DGGE, DNA sequencing). Microbial numbers will be analysed by flow-cytometry, and also other water quality parameters will be measured.

**Supervisors**: Kari Attramadal Kari Attramadal (kari.attramadal@ntnu.no), Olav Vadstein (olav.vadstein@ntnu.no), and Ingrid Bakke (ingrid.bakke@ntnu.no)

Master thesis in Biotechnology, 60 sp

Microbial stabilization: a tool for combating pathogens in aquaculture systems?

#### Goal

To evaluate whether microbial stabilization is feasible a strategy to prevent blooming of pathogens in aquaculture systems.

#### **Background**

Fishes are sharing their living environment with high loads of bacteria. In nature, the fishes experience relatively stable microbial environments. In aquaculture systems, the reared animals are exposed to high and unstable loads of bacteria compared to the natural environments. For a number of reared marine species, we have previously demonstrated that stable microbial environments improve growth and survival. Stabilization of microbial communities in the rearing water can be obtained by so-called K-selection, i.e. keeping microbial loads close to the carrying capacity (the maximal microbial population size that the system can support). Recirculating aquaculture systems (RAS) are well suited for exerting microbial K-selection, because the water going in to the rearing tanks has a carrying capacity similar to that of the water inside the rearing tank. K-selected bacteria are typically specialists, characterized by low maximum growth rate, but with the ability to compete when the available resources are limited. In a system where the carrying capacity is dramatically increased in the rearing tank, e.g. by addition of fish feed in a flow-through system, rapidgrowing, opportunistic bacteria will bloom. This would be an example of an r-selected system. R-selected bacteria have a high maximum growth rate, but are poor competitors when resources are limited. According to ecological theory, opportunistic rapid-growing bacteria would more easily bloom in an r-selected system with excess of resources, but would be outcompeted in a K-selected system.

If stabilization of the water microbial community is found to prevent blooming of opportunistic bacteria, this could be a promising and sustainable strategy for preventing pathogenic invasion in aquaculture systems.

# Work description

This master thesis will be part of the EU ERANET project MicStaTech, and work closely together with the project researchers. We will use lab-scale continuous bioreactors for creating r- and K-selected microbial communities in both fresh- and marine water. Potential fish pathogens will be introduced to the systems under both K- and r-selected conditions, and the fate of these strains will be monitored by methods like qPCR and flow-cytometry combined with specific probing. For examining the dynamics of the microbial communities in the systems, methods based on analysis of sequence variation in the 16S rRNA gene will be used, like DNA sequencing and qPCR.

Supervisors: Ingrid Bakke, (<u>Ingrid.bakke@ntnu.no</u>) and Olav Vadstein (<u>olav.vadstein@ntnu.no</u>), Department of Biotechnology, Kari Attramadal (<u>kari.attramadal@ntnu.no</u>), Department of Biology

Hovedveileder:  Main supervisor:	Ingrid Bakke
Kontaktinformasjon / epost	Ingrid hakka Ontou na
Contact information / email:	Ingrid.bakke@ntnu.no
Webside / webpage:	
Biveileder/-e:	Catherine Taylor Nordgård, Marit Sletmoen
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Effects of salmon lice treatment on the barrier function and
Preliminary title:	the colonization of skin mucus

# Bakgrunn og mål / Background and Objectives:

The skin of fish is colonized by a distinctive microbiota, but the relevance of this microbiota to host health is not known. Fish skin mucosa shares important functional and structural properties with gut mucosa. While the crucial importance of the gut microbiota to the mucosal barrier function is increasingly recognized, the role of the fish skin microbiota is little studied. Furthermore, despite the importance of the skin mucosa in the first line defence against environmental pathogens, the barrier properties of fish skin mucus have yet not been characterized. In this project, we will investigate the effects of various treatments applied against salmon lice on the mucus barrier properties and on the colonization of the skin mucus. Both physical and chemical treatment approaches are probably accompanied with a reduction of the skin mucus barrier properties, which may result in more heavy bacterial colonization and increased vulnerability to infections. These issues have been little studied, and this master project will be a collaboration between researchers within different research groups at IBT, as well as industry partners.

# Eksperimental / Experimental methods:

The project will involve diverse experimental approaches, such as for example micro-rheological methods, atomic force microscopy, modern deep-sequencing methods characterizing microbial communities, and quantitative PCR for quantifying bacteria in fish skin mucus. These methods will involve working in several labs with different co-supervisors at IBT. Samples from healthy individuals will be first analyzed and used as a reference data set. Then samples will be collected from individuals prior to and after different lice treatment strategies.

Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH
Credits (ECTS):	60 credits / 30 credits (possible to make a sub-project for a 15
	credits specialization project)

Hovedveileder:  Main supervisor:	Trygve Brautaset
Kontaktinformasjon / epost Contact information / email:	Trygve.brautaset@ntnu.no
Webside / webpage:	www.ntnu.no
Biveileder/-e:	Sigrid Hakvåg, Tonje Heggeset (SINTEF)
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Study of different promoters in the thermotolerant
Preliminary title:	methylotrophic bacterium Bacillus methanolicus


## Bakgrunn og mål / Background and Objectives:

**Bacillus methanolicus** is a thermotolerant bacterium that can efficiently utilize methanol as a sole carbon source. It has an optimum growth temperature of 50°C.

The methanol dehydrogenase gene, *mdh*, is crucial for methanol consumption in this bacterium.

Introduction of the genes crtM and crtN from *Staphylococcus aureus* into *Bacillus methanolicus* MGA3 results in yellow pigmentation. The genes encode a dehydrosqualene synthase and dehydrosqualene desaturase, respectively, and expression of the genes results in the production of two C30 terpenoids, diaponeurosporene and diapolycopene providing yellow pigmentation. The resulting colour will allow the study of different promoters, including the mdh (methanol dehydrogenase) promoter. This will be the main focus of the project.

Alternative wild type strains will also be considered tested as potential hosts for carotenoid biosynthesis. At present, no transformation of strains other than MGA3 and PB1 has been performed, and protocols will need to be developed. Introducing the crtMN genes into these strains, and cultivating them on different C-sources, will yield more information on the physiology of the strains and on the regulation of the promoter(s).



- Cultivation
- Genetic modification
- Extraction and quantification of pigment
- Development of transformation protocols

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH
Omfang (studiepoeng):	Can be adapted to 60 credits / 30 credits / 15 credits
Credits (ECTS):	(specialization project)



# Production of therapeutic proteins in alternative bacterial species

Faglærer: Trygve Brautaset

Supervisor: Anne Krog (<u>anne.krog@vectronbiosolutions.com</u>), Tlf: 98404313,

Jostein Malmo (jostein.malmo@vectronbiosolutions.com), Tlf: 97152913

# Background

Modern therapeutic proteins, such as insulin, are almost exclusively produced in *E. coli*. One of the challenges when producing recombinant proteins is solubility: a large fraction of the product is often found in an insoluble form, making it less useful for therapeutic applications.

The expression technology of Vectron Biosolutions was developed in *E. coli*, but can cover a broad range of bacterial species. By exploring the use of this technology in different bacterial species, the chances of finding a suitable production process for each protein is enhanced.

## Project description

The goal of this project is to test and further develop the expression technology of Vectron Biosolutions for the production of proteins in alternative bacterial species.

Projects can be adjusted to fit different sp-profiles (15sp, 15+30sp or 60sp).

#### Tasks

Tasks depend on the final structure of the project, but will routinely include:

- Cloning of genes for therapeutic proteins into Vectron's vectors (PCR, gel electrophoresis, plasmid DNA isolation, plasmid purification, primer design).
- Transformation of *E. coli* with newly constructed vectors (make competent *E. coli* cells, transformation of *E. coli*)
- Using the expression of the reporter genes mCherry and beta-lactamase (growth experiments, enzyme activity assays).
- Expression of therapeutic proteins using the newly constructed vectors (bacterial growth experiments, protein isolation, SDS page, Western blot).
- Comparing the expression of the reporter genes and therapeutic proteins (bacterial growth experiments, protein isolation, SDS page, Western blot).
- Transferring the newly constructed vector into a new alternative host (transformation / conjugation / electroporation of alternative bacterial species).
- Comparing and evaluating the expression of soluble and insoluble protein fractions between E. coli and alternative hosts (bacterial growth experiments, protein isolation, SDS page, Western blot, protein (semi-)quantification).

# **About Vectron Biosolutions**

Vectron Biosolutions is a small, dynamic company based at NTNU Gløshaugen. We provide state-of-theart expression technology to both pharmaceutical and industrial companies worldwide. We welcome enthusiastic, independent students to further explore the possibilities our technology holds.

#### Reading

Brautaset, T., R. Lale, and S. Valla, *Positively regulated bacterial expression systems*. Microb Biotechnol, 2009. **2**(1): p. 15-30.

Hovedveileder:  Main supervisor:	Professor Per Bruheim
Kontaktinformasjon / epost Contact information / email:	Per.Bruheim@ntnu.no
Webside / webpage:	http://www.ntnu.no/ansatte/per.bruheim
Biveileder/-e:	Professor Olav Vadstein
Co-supervisor/-s:	
Arbeidstittel på oppgaven/ Preliminary title:	Molecular investigation of the beer brewing process

# Bakgrunn og mål / Background and Objectives:

Beer brewing is not only one of the oldest biotechnological processes; it is also one of the largest. In recent years there has been established many microbreweries in Norway but also the number of home brewers has increased significantly. Beer brewing is a complex biochemical and microbial process with many variables that affect the taste, aroma and overall quality of the finished product (e.g. type and composition of malted barley and other grains/ sugar-containing ingredients, development of bitterness and aroma by hop addition during various steps of brewing, water quality and adjustments, temperature profile during mashing, pre-condition and type of yeast, pitch number and fermentation temperature, maturation and storage). At IBT we are developing competence and conducting experiments on the microbial aspect of the beer brewing process with particular focus on challenges of the microbrewery industry. Currently we are investigating Norwegian Farmhouse Ale yeasts (kveik) at the genetic level and their beer fermentation properties. Another research project is sour beer production where combinations of yeast and lactic acid bacteria are used for studies of the development of the particular sour profile.

## **Eksperimental** */ Experimental methods:*

Several brewings in the 30-50 I scale will be performed. Fermentations will be performed at 50 ml to 3 I scale. Analyses of the vort during the yeast fermentation, storage and finishing will be performed with mass spectrometric instrumentation (LC-MS, GC-MS incl dynamic head space injection) and other biochemical assays. Characterization of the flavor profiles as a function of the variables (e.g. yeast strains, fermentation conditions,..) both at sensory and analytical level will be of particular importance. Gene/ genome sequencing will be applied for the study of relationship between kveik (10 strains collected so far) and commercially available beer yeasts (both ale and lager yeast).

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:	Professor Per Bruheim
Main supervisor:	1 Totossor I of Brutienii
Kontaktinformasjon / epost	Per.Bruheim@ntnu.no
Contact information / email:	Per.Bruileiiii@iitiiu.iio
Webside / webpage:	http://www.ntnu.no/ansatte/per.bruheim
Biveileder/-e:	Post doc (to be hired summer 2016)
Co-supervisor/-s:	, , ,
Arbeidstittel på oppgaven/	Physiological studies of biofuel producing Zymomonas
Preliminary title:	mobilis

# Bakgrunn og mål / Background and Objectives:

This MSc project is associated the European Era-IB research project: "Z-Fuels: A novel bacterial system with integrated micro-bubble distillation for the production of acetaldehyde". The ultimate goal of Z-Fuels is to develop an integrated process in which low value waste (e.g. crude glycerol) is converted to a valuable biofuel and/or precursor chemical (acetaldehyde). The concept of Z-Fuels is to design, construct and operate a bacterial process, based on genetically engineered *Z. mobilis* with an integrated microbubble distillation system to convert complex sugary feedstocks and crude glycerol to acetaldehyde. Effective removal of acetaldehyde during the metabolic process will alleviate the inhibition and give higher yields. From the higher production quantities of acetaldehyde a more competitive and efficient route to butanol production can be obtained compared to current practise.


# Eksperimentelt / Experimental methods:

Bioreactor cultivations (100 mL to 2 L operating volume), sampling and sample processing for Metabolome and Fluxome (13C experimentation) analyses, mass spectrometric analysis (LC-MS, GC-MS, capIC-MS), enzymatic analysis and other biochemical assays (especially for studies of respiratory chain)

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MBIOT5, MSBIOTECH
Omfang (studiepoeng): Credits (ECTS):	60 studiepoeng / 60 credits

Hovedveileder:  Main supervisor:	Bjørn E. Christensen
Kontaktinformasjon / epost Contact information / email:	bjorn.e.christensen@ntnu.no
Webside / webpage:	http://www.biotech.ntnu.no/nobipol/BEC_homepage.php
Biveileder/-e:	Ingrid Vikøren Mo
Co-supervisor/-s:	
Arbeidstittel på oppgaven/ Preliminary title:	New biopolymer hybrids by oligosaccharide conjugation

# Bakgrunn og mål / Background and Objectives:



The exploitation of biopolymers from carbon neutral biomass (wood, seaweeds, microorganisms) can be significantly increased and expand into novel applications (medicine, pharmacy, nanotechnology) by tailoring a new class of hitherto unexplored hybrid polymers. In brief, they are linear or branched constructs  $(A_nB_mC_x)$  of more than one oligomer [A, B or C (or more)] of predetermined lengths (n, m, x ...) (figure) combining through terminal coupling different self-assembling functionalities, aiming towards:

- a) Nanoparticle formation (for drug delivery) in both aqueous and non-aqueous (lipophilic) systems
- b) Dendritic-like structures for conjugation of oligosaccharide ligands to antibodies, proteins, aptamers etc. for targeted applications
- c) Macroscopic biomaterials with tuneable nano- and microstructure (for cell proliferation and tissue engineering)
- d) Self-assembling 'block carbohydrate polymers': Towards polysaccharide origami.

e)

# **Eksperimental** / Experimental methods:

- a) Controlled degradation of alginates to oligosaccharides
- b) Oligosaccharide fractionation (gel filtration)
- c) Terminal (reducing and non-reducing end) activation and conjugation
- d) Analysis of conjugates (MS, NMR, chemical, chromatographic analysis)

e)

Note: Project starts up earliest 1. October 2016

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	15 ECTS project + 30 ECTS Master: MTKJ, MIKJ, MTNANO 60 ECTS: MBIOT5,
Omfang (studiepoeng): Credits (ECTS):	Flexible, dep. on study programme

Hovedveileder:  Main supervisor:	Prof. Alexander Dikiy
Kontaktinformasjon / epost	Tel: 73597863; alex.dikiy@ntnu.no
Contact information / email:	20
Webside / webpage:	http://folk.ntnu.no/dykyy/
Biveileder/-e:	Dr. Elena Shumilina;
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Determination and analysis of novel bioactive compounds
Preliminary title:	obtained from macro- and micro-algae

# Background and Objectives:

The aim of this project is to use NMR spectroscopy to determine industry relevant bioactive molecules from various algal extracts and to structurally characterise them.

Marine algae (contain a large amount of bioactive compounds (e.g. carotenoids, fucoidan, omega-3 and omega-6 fatty acids, pigments, amino acids, etc) that can be employed as pharmaceuticals, nutraceuticals, food additives, nutracosmeticals as well as for animal feed, fertiliser and biogas generation. The molecular content of different algae species differs greatly due to geography, time of the year and method of harvest and processing. However, little information is available on the most suitable harvesting time/geography and harvesting procedure to obtain the highest amount of bio-active compounds.

# Experimental methods:

Within this project, several different extracts of algae will be studied using Nuclear Magnetic Resonance (NMR) in order to determine which bio-active compounds are present within them and measure their concentration. Certain bio-active compounds will be then further investigated and their structure determined using NMR.

No previous experience with the mentioned techniques is required.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MSAQFOOD, MLREAL, MSBIO, MSMOLMED
Omfang (studiepoeng): Credits (ECTS):	60 credits

Hovedveileder:  Main supervisor:	Prof. Alexander Dikiy
Kontaktinformasjon / epost	alay dikiy@hiataah mtmu ma
Contact information / email:	alex.dikiy@biotech.ntnu.no
Webside / webpage:	http://folk.ntnu.no/dykyy/
Biveileder/-e:	Dr. Elena Shumilina
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Determination of quality metabolites in different brands of
Preliminary title:	cod fillets

## Bakgrunn og mål / Background and Objectives:

The aim of the work is to determine the quality and molecular changes due to storage of different brands of cod fillets utilising Nuclear Magnetic Resonance (NMR).

Fish is an important nutritive source for human consumption. The world fish food supply has grown dramatically in the last years, with an average growth rate of 3.2 percent per year in the period 1961–2009 (FAO, 2012). Atlantic cod (Gadus morhua) is a popular food product in Norway and worldwide.

Different companies sell cod of varying qualities. For the consumer it is important to know whether the price correlates with the quality of the product and how and for how long the fish should be stored, in order to keep all the metabolites that account for its health benefits.

#### **Eksperimental** / **Experimental** methods:

Within this project, the student will utilise a method developed in our laboratory to test A) the quality (amount of vitamins, amino acids, fatty acids, etc.) of cod purchased from different producers utilising NMR spectroscopy; B) characterise how these products change their metabolic profile over time and C) characterise how their metabolic profile changes depending on storage temperatures and time.

No previous experience with the mentioned techniques is required.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MSAQFOOD, MLREAL, MSBIO, MSMOLMED
Omfang (studiepoeng): Credits (ECTS):	60 credits / 30 credits

Hovedveileder:	Prof. Alexander Dikiy
Main supervisor:	,
Kontaktinformasjon / epost	alex.dikiy@biotech.ntnu.no
Contact information / email:	alex.diviy@blotech.htma.hb
Webside / webpage:	http://folk.ntnu.no/dykyy/
Biveileder/-e:	Dr. Elena Shumilina
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Development of a methodology to determine frauds in
Preliminary title:	salmon products

## Bakgrunn og mål / Background and Objectives:

The aim of the work is to develop a method and protocol to determine salmon frauds utilising Nuclear Magnetic Resonance (NMR).

Fish is an important nutritive source for human consumption. The world fish food supply has grown dramatically in the last years, with an average growth rate of 3.2 percent per year in the period 1961–2009 (FAO, 2012). Atlantic salmon (Salmo salar) is a popular food product in Norway and worldwide due to its delicate taste and health benefits obtained from its metabolites (peptides, carbohydrates, vitamins, lipids).

However, as it happens with different fish, salmon products can be counterfeit to sell a lower quality product for a higher price. Several methods exist on how to determine frauds in fish, such as genetic verifications, isotope analysis, etc. However, most of them have several limitations.

#### **Eksperimental** / **Experimental** methods:

Within this project a method will be developed that will allow the detection of fraud products utilising NMR spectroscopy. Firstly, a model of salmon metabolites will be made by analysing both fresh and frozen samples of the fish. Subsequently, various frauds will be purposefully created to assess the validity of the developed methodology. The final stage of the project will be to create a protocol that might be used by authorities to detect counterfeits.

No previous experience with the mentioned techniques is required.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MSAQFOOD, MLREAL, MSBIO, MSMOLMED
Omfang (studiepoeng): Credits (ECTS):	60 credits / 30 credits

Hovedveileder:  Main supervisor:	Prof. Alexander Dikiy
Kontaktinformasjon / epost Contact information / email:	alex.dikiy@biotech.ntnu.no
Webside / webpage:	http://folk.ntnu.no/dykyy/
Biveileder/-e:	Dr. Elena Shumilina
Co-supervisor/-s:	
Arbeidstittel på oppgaven/ Preliminary title:	Determination of stress biomarkers in human saliva

# Bakgrunn og mål / Background and Objectives:

The aim of this project is to determine which molecules in human saliva correlate with stress and can be thus used as biomarkers.

Stress is a condition that affects both body and mind of people. High levels of stress trigger changes in the metabolism, hormonal levels and physiological reactions. Stress is currently mostly monitored by analysing the concentration of the hormone cortisol in blood. However, such method is invasive, costly, requires specialised personnel for collection and if carried out with not sterile equipment can result in contamination with diseases. Presently, methods that are non-invasive are gaining popularity, such as the analysis of cortisol in saliva samples. For such purpose an enzyme-linked immunosorbent assay (ELISA) is usually used. However, such method is relatively time consuming and as result gives the concentration of only one molecule in the sample.

#### **Eksperimental** / **Experimental** methods:

Within this project, it will be investigated whether other molecules can be found in saliva samples that change in quantity depending upon stress levels. In order to study a high number of molecules, Nuclear Magnetic Resonance (NMR) spectroscopy will be used. Saliva samples of stressed and not stressed people will be analysed both by NMR and by ELISA and the results will be compared.

The results of such research may help find an efficient and fast way to detect stress both in humans and animals.

No previous experience with the mentioned techniques is required.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MSAQFOOD, MLREAL, MSBIO, MSMOLMED
Omfang (studiepoeng): Credits (ECTS):	60 credits

Hovedveileder:  Main supervisor:	Helga Ertesvåg
Kontaktinformasjon / epost Contact information / email:	helga.ertesvag@ntnu.no
Webside / webpage:	http://www.ntnu.no/ansatte/helga.ertesvag
Biveileder/-e:	
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Polysaccharide production in Azotobacter vinelandii cysts
Preliminary title:	

## Bakgrunn og mål / Background and Objectives:

Azotobacter vinelandii is a gram-negative bacterium that will enter a resting stage called cyst upon encountering adverse growth conditions. I have performed a transcriptome study and identified two gene clusters probably involved in producing polysaccharides that are expressed during encystment. No one knows which polysaccharides the clusters are involved in producing.

As a first attempt at unraveling what these genes are doing, I would like to inactivate one gene in each of these gene clusters and analyse the effect on encystment. Avin05390 and Avin30120 are the best candidates for genes to target. For a project work making the constructs in *Escherichia coli* and transferring the plasmids to *A. vinelandii* will be a realistic aim, it will then be possible to continue the work in a 30 stp project.

- 1. Construct the recombination vectors (The standard techniques: Cloning, PCR, sequencing)
- 2. Transfer the vectors to A. vinelandii.
- 3. Select and validate mutants.
- 4. Show if and how the mutation affects encystment
- 5. Use bioinformatic tools to present a hypothesis as to which polysaccharides the clusters are producing.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	Feks MTKJ/MIKJ, MBIOT5, MSBIOTECH
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:  Main supervisor:	Helga Ertesvåg
Kontaktinformasjon / epost	helga.ertesvag@ntnu.no
Contact information / email:	Thoiga.orteovag@mina.no
Webside / webpage:	http://www.ntnu.no/ansatte/helga.ertesvag
Biveileder/-e:	
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Hotorologous expression of large gans alusters
Preliminary title:	Heterologous expression of large gene clusters

## Bakgrunn og mål / Background and Objectives:

It is no fairly straight forward to clone a gene encoding a single protein and express that protein. Cloning of large gene clusters encoding a pathway is more of a challenge, and to actually obtain the product expected from that pathway is an achievement to be proud of. Still, methods for cloning large DNA fragments and expressing them in other bacteria have been published [1]. I would like to establish this method in my group, and propose to use a putative alginate biosynthetic cluster from the bacterium *Marinobacter algicola* as the model gene cluster.

## **Eksperimental** / Experimental methods:

- 1. Use the published method to clone the cluster in such a way that it is controlled by an inducible promoter. The recombinant plasmid will then have to be characterized using restriction enzyme analysis and DNA sequencing. A 15 stp project will probably not get further.
- 2. Test if the plasmid is sufficient to get some alginate production in a: *Pseudomonas fluorescens*, which is a bacterium we know has the ability to produce the polymer; b: *M. algicola*; c: *Escherichia coli*. The procedure for plasmid transfer, growth of these bacteria and alginate assays are well established in the laboratory.
- 3. A 60 stp project would probably also include using the method to clone other gene clusters.

#### Reference:

1. Gemperlein K, Zipf G, Bernauer HS, Muller R, Wenzel SC: Metabolic engineering of *Pseudomonas putida* for production of docosahexaenoic acid based on a myxobacterial PUFA synthase. *Metab Eng* 2016, 33:98-108.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:	Helga Ertesvåg
Main supervisor:	3 3
Kontaktinformasjon / epost	helga.ertesvag@ntnu.no
Contact information / email:	Tielga.ertesvag@hthu.no
Webside / webpage:	http://www.ntnu.no/ansatte/helga.ertesvag
Biveileder/-e:	
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Develop Rhodococcus opacus as a platform organism for
Preliminary title:	lipid production

# Bakgrunn og mål / Background and Objectives:

Rhodococcus opacus is an actinomycete that is able to store large amounts of lipids in lipid bodies within its cytoplasm. At NTNU it has been chosen as one contender in a project aimed at producing the essential omega-3 fatty acids DHA and EPA for aquaculture feed. Aquaculture is the most likely way of providing animal protein for the increasing human population, and new sources for omega-3 are necessary in order to increase the production from aquaculture.

In connection with the ongoing MIRA project it is possible to define molecular biology projects tailored to the wishes of the student. Topics could be: optimized vectors and methods. Cloning and characterization of specific proteins like acetyl transferases, elucidation of gene function, making specific gene knock-outs etc. Literature studies or bioinformatic studies could also be included as part of the project.

Since this is a very open project, it will be available for up to three students. Each will be given their separate project. These projects will be specified in a dialog between the student and the supervisor, and will also depend on how far the MIRA project has developed when the individual students are starting up their thesis work.

# **Eksperimental** */ Experimental methods:*

The techniques utilized will vary with the actual topic for and length of the project. All will contain standard techniques (Cloning, PCR, DNA sequencing). Other possible experiments might be: construction and characterization of new strains, vector construction/characterization or protein purification and characterization.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder: Main supervisor:	Martin Hohmann-Marriott
Kontaktinformasjon / epost Contact information /	martin.hohmann-marriott@ntnu.no
email:	
Webside / webpage:	www.photosynlab.org
Biveileder/-e:	Rahmi Lale (Biotechnology)
Co-supervisor/-s:	Murat Adelan (Biology)
Arbeidstittel på oppgaven/ Preliminary title:	Nanowire-mediated electron transport by bacteria - Molecular mechanisms - Ocean productivity - Biological solar cells

# Background and Objectives:

Cyanobacteria make protein filaments that function as electrical wires, «nanowire». We are now just starting to understand why cyanobacteria make these nanowires. Electron transport to metal oxides is enabling cyanobacteria to respire in the absence of oxygen, but also allows the acquisition of metals that are required for growth. These metabolic functions have important consequences for the geobiochemistry and species distribution in oceans. In addition, understanding the molecular components involved in nanowire functionality provides a blueprint for developing biophotovoltaic solar cells.

# Experimental methods:

Depending on the student's interest this project may include: Molecular biological techniques (cloning, PCR, etc), physiological techniques (growth analysis, oxygen measurements), analytical techniques (metal analysis), microbiological techniques (sterile & culturing techniques), bioinformatics, spectroscopy (absorption and fluorescence), electronics/electrophysiology (instrument design, programming, potentiometry).

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MSBIO, MBIOT5, MSBIOTECH, MSPHYS, MTNANO
Omfang (studiepoeng): Credits (ECTS):	30 or 60 studiepoeng

Hovedveileder: Main supervisor:	Adjunct Assoc. Prof. Rahmi Lale
Kontaktinformasjon / epost Contact information / email:	rahmi.lale@ntnu.no
Webside / webpage:	http://www.photosynlab.org
Biveileder/-e: Co-supervisor/-s:	Assoc. Prof. Vasili Hauryliuk, Umeå University, Sweden; The Laboratory for Molecular Infection Medicine Sweden within the Nordic EMBL Partnership for Molecular Medicine <a href="http://www.mims.umu.se/groups/vasili-hauryliuk.html">http://www.mims.umu.se/groups/vasili-hauryliuk.html</a>
Arbeidstittel på oppgaven/ Preliminary title:	In vitro Translation with Engineered Ribosomes

Bakgrunn og mål / Background and Objectives: Protein synthesis by ribosomes is present in all three domains of life rendering it as a crucial process. Ribosomes are composed of two subunits, each built on a separate ribosomal RNA (rRNA) scaffold. In recent years synthetic biology effort has led to breakthrough applications of engineered ribosomes: 'orthogonal' ribosomes that can only 'read' a designer 'orthogonal' mRNA and can incorporate unnatural amino acids (PubMedID 24755590); 'tethered' ribosomes with the two subunits conjoined into a single artificial rRNA molecule (PMID 26222032); 'tagged' ribosomes for selectively purification on one-step affinity chromatography (PMID 19074194).

**The Goal** of the project is to engineer and purify affinity-tagged tethered ribosome to be used in *in vitro* translation kits. As a next step we will attach elongation factor G (EF-G) to the affinity-tagged tethered ribosome, which will allow one-step purification of a minimalistic *in vitro* translational system for biotechnological applications.

**Eksperimentelt** / Experimental methods: The project relies on expertise of the host laboratory in synthetic biology (Dr. Lale) and bacterial protein synthesis (Dr. Hauryliuk). The first step is a construction of panel of plasmid expression vectors for inducible expression of non-essential ribosomal protein S9, extended with several variants of poly-His affinity tag, for one-step purification. The optimal construct will be selected by testing expression of chimeric proteins in *E. coli* strain lacking the genomic copy of S9 and testing ribosomal isolation on affinity columns. The second step is fusing the best performing His-tagged S9 construct with elongation factor G (EF-G) via a flexible GS-rich linker. Engineered ribosomes will be purified on affinity chromatography and characterized using *in vitro* translation system. Best-performing constructs will be integrated into *E. coli* genome creating the final strain.

The project will utilize the following **Techniques**: 1) cloning using synthetic biology techniques such as ligase cycling reaction; 2) bacterial genome engineering using  $\lambda$  Red recombineering; 3) protein detection using Western blotting; 4) affinity purification using Immobilized-metal affinity chromatography; 5) biochemical assays in *in vitro* translational system.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	Feks MTKJ/MIKJ, MBIOT5, MSBIOTECH eller MSAQFOOD
Omfang (studiepoeng):	60 studiepoeng
Credits (ECTS):	60 credits

Hovedveileder: Main supervisor:	Turid Rustad
Kontaktinformasjon / epost	Turid Rustad <turid.rustad@ntnu.no></turid.rustad@ntnu.no>
Contact information / email:	Tana Nasiaa siana.rasiaa@mina.rio
Webside / webpage:	
Biveileder/-e:	Ulf Erikson, SINTEF
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Bestemmelse av kvalitetsendringer i fisk ved bruk av ny
Preliminary title:	metodikk

# Bakgrunn og mål / Background and Objectives:

Det er et økende salg av frossen tint fisk. Denne selges også som fersk. Det er derfor behov for målemetoder som kan skille mellom fersk og frossen tint fisk. Noen målemetoder finnes – men disse er tidkrevende og lite presise. For å kunne forbedre og utvikle nye og bedre prosesseringsmetoder for bla fisk er det behov for gode målemetoder for å bestemme endringer i råstoffet som funksjon av prosessbetingelser. Dette vil for eksempel være å bestemme når proteindenatureringen begynner – bla ved varmebehandling – hvis vi ønsker mildere varmebehandling – hva skjer med proteinene (og tekstur med mer). Det er også mulig å studere effekt av ulike tinemetoder osv.

# Eksperimental / Experimental methods:

Oppgaven vil gå ut på å bruke måle endringer i proteiner ved hjelp av endringer i overflatespenning ved hjelp av et nytt utviklet instrument og koble dette til målinger med konvensjonelle metoder.

Det vil bli gjort målinger på fersk fisk som er behandlet på ulik måte, fersk, lagret og frossen tint. Prøvene vil bli analysert ved hjelp av overflatespenningsmetoden og ved metoder slik som endringer i proteinløselighet, vannbindingsevne, tekstur og evt endringer i enzymaktivitet.

Passer for (angi studie-	
retning/hovedprofil/-er):	MTKJ/MIKJ
Suitable for main profiles:	
Omfang (studiepoeng):	15 studiepoeng
Credits (ECTS):	-

Hovedveileder: Main supervisor:	Turid Rustad
Kontaktinformasjon / epost Contact information / email:	Turid.rustad@ntnu.no
Webside / webpage:	
Biveileder/-e:	Revilija Mozuraityte, SINTEF Fisheries and Aquaculture
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Processing to retain quality and stability of healthy nutrients
Preliminary title:	in model mackerel products

# Bakgrunn og mål / Background and Objectives:

The aim of this work is to optimize the processing steps of model products from mackerel. Reformulated products (mimics fishcake/finger) will be made and Sous vide (light heat treatment) will be used. The focus will be on the quality and stability of healthy nutrient like omega -3 fatty acids.

Consumption of fatty fish such as mackerel provides numerous important nutrients linked both to their lipids, proteins and water soluble components. The lipids in mackerel are rich in long chain n-3 polyunsaturated fatty acids (LC n-3 PUFA) with well documented beneficial effects e.g. on cardiovascular diseases. However, the LC n-3 PUFA are highly susceptible to oxidation resulting in rapid quality loss such as reduced sensory quality (undesirable taste and flavour) of the product. This work will screen the changes in lipids during processing of mackerel into model ready to eat/sous vide mackerel products. The ability of natural antioxidants like herbs to increase the oxidative stability of the model products will be studied.

# Eksperimental / Experimental methods:

The methods involved in the study will be mainly: compositional analysis (lipid, water, protein content) and quality analysis (amount of peroxides, conjugated dienes, thiobarbituric reactive substances and free fatty acids). Additional investigation on the lipid oxidation methods will be carried out in order to choose and optimise the available methods for the analysis of marinated herring.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	Feks MTKJ/MIKJ, MBIOT5, MSBIOTECH eller MSAQFOOD
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder: Main supervisor:	Turid Rustad
Kontaktinformasjon / epost Contact information / email:	Turid.rustad@ntnu.no
Webside / webpage:	
Biveileder/-e:	Jørgen Lerfall, IMAT
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Storage quality of ready-to-eat Atlantic salmon treated with
Preliminary title:	soluble gas stabilization (SGS)-technology and gentle
	heating

# Bakgrunn og mål / Background and Objectives:

For å øke inntak av sjømat er det behov for utvikling av attraktive, stabile og velsmakende produkter. Det vil si produkter som er lettvinte å bruke og har god holdbarhet. For å utvikle slike produkter er det nødvendig med mer kunnskap både om råstoffene som skal inngå og hvordan disse påvirkes av prosess og lagring samt om hvordan prosessering og ingredienser påvirker holdbarhet. Oppgaven går ut på å optimalisere kombinasjonen av SGS- og varmebehandling av Atlantisk laks for å sikre god kjemisk og mikrobiell holdbarhet av laks. Ulike SGS betingelser (tid, temperatur, emballasje), varmebehandling (type, temperatur + tid kombinasjon) vil bli studert. Spesielt for varmebehandling vil man se på hvordan kvaliteten av laksen påvirkes ved lett varmebehandling samt hvilke varmebehandlingsmetoder som kan benyttes. I tillegg vil man måle hvor mye varmebehandlingen påvirker innløsningen av CO<sub>2</sub>.

# **Eksperimental** */ Experimental methods:*

SGS-teknologi vil bli testet i kombinasjon med forskjellige varmebehandlinger. Hvor mye CO<sub>2</sub>-som blir løst opp vil bli bestemt. For å følge kvalitetsendringer vil mikrobiell, kjemisk og/eller fysikalsk kvalitet ved forskjellige behandlinger (enkeltvis og i kombinasjon) bli bestemt.

Passer for (angi studie-	
retning/hovedprofil/-er):	Feks MTKJ/MIKJ, MBIOT5, MSBIOTECH eller MSAQFOOD
Suitable for main profiles:	
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:  Main supervisor:	Name: Turid Rustad/ Alex Dikiy
Kontaktinformasjon / epost	Turid.rustad@ntnu.no
Contact information / email:	Tantan asta a @minamis
Webside / webpage:	www.ntnu.no
Biveileder/-e:	
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Characterization of west atmosph
Preliminary title:	Characterization of waste streams

## Bakgrunn og mål / Background and Objectives:

A large amount of food raw material is wasted at different stages through the value chain. Currently the waste streams within the food processing factory underlie partly treatment and recycling, but finally all remaining waste streams are disposed as one single waste stream. The project Biosuck aims to reduce the food waste streams in the processing industry. To utilize valuable components in the waste streams there is a need for characterization of the composition of these streams. At NTNU we will analyze representative samples of waste streams with chemical and biochemical methods.

Since the described thesis is highly innovative it is expected that some relevant data can be published in peer review journals.

# **Eksperimental** / **Experimental** methods:

Representative samples of waste streams with chemical and biochemical methods.

Selected samples will be analyzed by spectral methods like NMR (NMR structural elucidation and NMR metabolic profiling) and MALDI TOF-TOF. These innovative methods shall help to identify new and more efficient ways to analyze waste samples and to simplify the categorization of possible bioactive compounds or i.e. enzymes isolable from the waste streams. These investigations will contribute to the increasing value creation out of the waste streams.

MTKJ/MIKJ, MBIOT5, MSBIOTECH eller MSAQFOOD
60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng 60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:	Turid Rustad
Main supervisor:	Tuliu Nustau
Kontaktinformasjon / epost	turid.rustad@ntnu.no
Contact information / email:	turia.rustau@ntiiu.no
Webside / webpage:	www.ntnu.no, www.sintef.no
Biveileder/-e:	Rasa Slizyte og Kirsti Greiff
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Funkcionalla ingradianaar i mat
Preliminary title:	Funksjonelle ingredienser i mat

Hovedmålet med oppgaven vil være å undersøke hvilke effekter tilsetning av ulike <u>ingredienser</u> har på fysio-kjemiske, sensoriske og teknologiske egenskaper i mat.

#### Bakgrunn og mål:

Enzymatisk hydrolyse er en prosesseringsteknikk som kan benyttes for å produsere høyverdige ingredienser fra restråstoff. Prosessen er basert på bruk av kommersielle enzymer (proteaser) som bryter peptidbindinger, forenkler degraderingen av råstoffet og fører til utskillelse av oljen. Resultatet er tre fraksjoner; proteinhydrolysat (vannløselig protein), olje og grakse (uløselig proteiner, fosfolipider og bein). Råstoffsammensetning, enzymtype og prosessbetingelsene vil påvirke egenskapene til sluttproduktene, noe som gjør det nødvendig å utvikle prosesser skreddersydd for det restråstoffet det er tenkt brukt på. SINTEF Fiskeri og havbruk har gjennom flere prosjekter utviklet teknologier for utnyttelse av restråstoff fra fisk og kylling. Et resultat av dette er ulike ingredienser som kan ha funksjonelle egenskaper ved prosessering av mat, gi økt næringsverdi og påvirke sensoriske og teknologiske egenskaper i ferdig produkt.

#### Eksperimentelt:

Prosjektarbeidet vil bli knyttet opp mot aktiviteter som SINTEF Fiskeri og havbruk har i prosjekter på dette området. Det vil være behov for forsøk og analysering av både ingredienser og ferdig produkt.

Aktiviteter som kan inngå i dette prosjektet:

- Karakterisering av kjemisk sammensetning i ingrediensene
- Pilotforsøk hvor modellprodukter testes ut
- Fysio-kjemiske, sensoriske og teknologiske analyser.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	Feks MTKJ/MIKJ, MBIOT5, MSBIOTECH eller MSAQFOOD
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder: Main supervisor:	Turid Rustad
Kontaktinformasjon / epost Contact information / email:	Turid Rustad <turid.rustad@ntnu.no></turid.rustad@ntnu.no>
Webside / webpage:	www.sintef.no
Biveileder/-e:	Alex Dikiy, Rasa Slizyte/Revilija Mozuraityte (SINTEF)
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Technological solutions for production of safe and high
Preliminary title:	quality proteins from salmon rest raw materials

# Bakgrunn og mål / Background and Objectives:

Rest- and by-products from slaughtering and processing of farmed salmon contain valuable protein and lipid as well as vitamins and minerals. Today, most of these by-products goes to low value fish silage for use as animal feed. The slaughtering and processing of the farmed fish generate fresh, high quality rest- and by-products that may be separated into different fractions. These raw materials therefore has great potential to be used for products to more demanding, but also better paying markets such as ingredients, e.g. protein hydrolysates, for use in functional stage specific diets for poultry, pet food including nutritional supplements for human consumption. This requires hygienic handling of the by-products to ensure food safety as well as methods to generate storage-stable products.

One of the most fundamental challenges are decomposition of rest raw material and formation of undesirable compounds like biogenic amines (BAs) such as histamine, tyramine, putrescine, cadaverine and phenylethylamine in poorly stored raw materials or later during processing. The overall project idea is to develop **technological toolbox to control safety, quality and stability of proteins from salmon rest raw materials for dietary functional application**. The technological toolbox will include the solutions to prevent formation of undesirable components (BA), microbiological control and establishing product stability through the processing chain.

#### Eksperimental / Experimental methods:

Experimental part will cover defining raw material composition, storage as well as processing parameters for production of safe and high quality products to be used in functional applications as high value ingredients.

#### This will involve:

- Determination of chemical composition of raw material
- Characterization of degradation products (including biogenic amines) by traditional and rapid analytical techniques like NMR
- Identification where during different technological steps, undesirable components are formed.
- Identification the stability of the protein concentrate as a function of dry matter, pH, degree of hydrolysis and storage temperature.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	Feks MTKJ/MIKJ, MBIOT5, MSBIOTECH eller MSAQFOOD
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:  Main supervisor:	Turid Rustad
Kontaktinformasjon / epost Contact information / email:	Info: turid.rustad@ntnu.no
Webside / webpage:	www.ntnu.no
Biveileder/-e:	Pierrick Stevant
Co-supervisor/-s:	
Arbeidstittel på oppgaven/ Preliminary title:	Extraction of fucoxanthin from macroalgae

## Bakgrunn og mål / Background and Objectives:

Macroalgae or seaweed is a biomass resource that can be utilized for food, feed, chemicals and energy. Today the main use of seaweed in Norway is for extraction/production of hydrocolloids. However macroalgae also contains valuable proteins as well as other components including bioactive compounds. Norway has a long coastline and good possibilities not only to harvest but also to grow macroalgae. In Norway, kelp is extensively harvested for alginate production, but macroalgae have not been significantly appreciated as food or for other applications. However, more recently cultivation of macroalgae for a wider range of potential product applications has been predicted. In addition to hydrocolloids, proteins and minerals, brown algae also contains bioactive compounds such as the carotenoid fucoxanthin which can have antioxidant effect and that has been shown to promote fat burning within fat cells in white adipose tissue.

**Eksperimentelt** / **Experimental methods:** The task will be to test different methods to extract the fucoxanthin and to determine the antioxidant effect.

.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	Feks MTKJ/MIKJ, MBIOT5, MSBIOTECH eller MSAQFOOD
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:	Turid Rustad
Main supervisor:	Tana Rabias
Kontaktinformasjon / epost	Turid Rustad <turid.rustad@ntnu.no></turid.rustad@ntnu.no>
Contact information / email:	Tunu Kustau Kunu.Tustau@niitu.1102
Webside / webpage:	www.sintef.no
Biveileder/-e:	Rasa Slizyte/Ana Carvajal (SINTEF)
Co-supervisor/-s:	· · · · · · · · · · · · · · · · · · ·
Arbeidstittel på oppgaven/	Quality changes of macroalgae during preservation and
Preliminary title:	processing

## Bakgrunn og mål / Background and Objectives:

Much of future human food supply is predicted to originate from the world's oceans. Throughout the past decades, use of marine macroalgae ('seaweed') in food production has undergone a renaissance in the western world, as seaweeds offer potential solutions in the context of global climate change and environmental challenges. In comparison with terrestrial biomass, seaweeds are produced without demands on soil, fresh water or land area.

Macroalgae have been eaten by humans for thousands of years and have been used in animal production as sources of nutrients and health-promoting compounds since the domestication of animals. This long history of use reflects macroalgal qualities: many species contain proteins with well-balanced amino acid composition at levels high enough to make them useful as protein sources for humans and animals. Macroalgae may also be important sources of minerals, such as iodine, iron and calcium; ingredients which are often limiting in traditional food sources. With its extensive coastline and existing knowhow on processing of marine raw materials and related infrastructure, Norway is a prime candidate for developing a bio-economy based on cultivation and processing of seaweeds.

Due to the high water content and easy degradable component in macroalgae, preservation is required for transportation and storage, and this step is critical for quality of raw materials and ingredients obtained by followed processing. Primary treatment which are known to affect raw material characteristics and content of both beneficial as well as non-desirable components include washing (rinsing/soaking), preservation by pH or dehydration (e.g. air drying/ freeze-drying), maturation and storage. For production of food and feed ingredients, fractionation of the biomass is required. A main challenge for protein extraction will be the presence of gel-forming polysaccharides, due to their highwater binding capacity and viscosity. It is important to evaluate how initial treatments/preserving influence the quality and following processing/fractionation of macroalger.

#### Eksperimental / Experimental methods:

Experimental part will cover several preservation/stabilisation methods after harvesting of macroalger:

- Freezing
- Drying
- Preservation by pH

The following quality indicators will be evaluate after preservation steps:

- Changes in chemical composition of raw material
- Microbiological quality
- Influence of following processing and fractionation of microalger

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	Feks MTKJ/MIKJ, MBIOT5, MSBIOTECH eller MSAQFOOD
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder: Main supervisor:	Name: Turid Rustad
Kontaktinformasjon / epost Contact information / email:	Turid.rusta@ntnu.no
Webside / webpage:	www.ntnu.no
Biveileder/-e: Co-supervisor/-s:	Grete Hansen Aas Kristin Bjørdal
Arbeidstittel på oppgaven/ Preliminary title:	Marine protein ingredients in functional food

Kort beskrivelse av oppgaven / Short description of the project:

## Bakgrunn og mål / Background and Objectives:

Fish rest raw material is mainly used for production of feed. Processing into products/ingredients for human consumption will increase profitability. The local industry at Møre has started the production of protein meal from rest raw material both from herring and white fish. Human consumption of the valuable fish proteins are depending on finding a good way to administer this. How these powders may be suited to increase protein content in different foods is not well described. They may be added to different processed seafood or administered in liquids for nutrient drinks/sports nutrition. Different protein ingredients are available for testing.

The aim of this study is to test different ways to administer these fish powders, and to test how this addition will affect the functional properties as well as the sensory properties of the products. This study can also be extended to include marine lipids.

## Eksperimentelt / Experimental methods:

The task will be to find a suitable model product and test inclusion of different levels of protein. The functional properties (water holding, texture ..) and quality measured by sensory attributes will then be tested.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH eller MSAQFOOD
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:	Marit Sletmoen
Main supervisor:	
Kontaktinformasjon / epost	marit.sletmoen@ntnu.no
Contact information / email:	mant.sietmoen@ntild.no
Webside / webpage:	https://www.ntnu.edu/employees/-/employee/sletmoen
Biveileder/-e:	
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Revealing the mechanisms underlying the adhesion of
Preliminary title:	bacteria to mucosa

#### Background and Goal:

Mucus, and more precisely mucin O-glycans, contribute to the selection of the microbiota by representing ligands for microbial adhesins, displaying antimicrobial properties towards certain bacteria and by limiting the surface attachment of other bacteria. These bacteria – mucus interactions are thus important for both human and bacterial health. The exact structures involved in these critical glycan – bacteria interactions are for many systems unknown. In this project we propose to focus on the interaction of various bacterial strans to the mucosal surface on fish skin. We hypothesize that the potential of a bacterium to colonize fish skin depends on its ability to adhere to the mucosal surface. In order to test this hypothesis, we propose to quantify bacterial-mucous interactions, both for bacteria isolated from the skin and bacteria not isolated from skin but preferably present in the fish environment.

#### Experimental:

The main experimental approach will be the direct determination of bacteria – surface interactions using the sensitive force probe atomic force microscopy (AFM). The study will include quantification of the interaction abilities of various bacterial strains immobilized onto AFM tips, to fish skin mucus. These investigations will be combined with microscopic inspection of the mucosal surfaces. Additionally, the role of glycan structures for bacterial adhesions will be elucidated. The adhesion force between bacteria and surfaces covered with one of the main glycan structures found on salmon skin will be quantified using AFM. The amount of adhering bacteria will be determined by microscopy of mucus surfaces exposed to bacteria.




Illustration of single cell force spectroscopy (SCFS) assay in microbiology. The illustration is taken from a review paper (Dufrêne, Trends in Microbiology June 2015, Vol. 23, No. 6) and illustrates the approach used in the study "Single-cell force spectroscopy of probiotic bacteria" (Beaussart, A. *et al.* (2013) Biophys. J. 104, 1886–1892) were carbohydrate interactions of probiotic bacteria were quantified using AFM.


Passer for (angi studie-	
retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MTNANO
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)


Hovedveileder:	Marit Sletmoen
Main supervisor:	
Kontaktinformasjon / epost	marit.sletmoen@ntnu.no
Contact information / email:	
Webside / webpage:	https://www.ntnu.edu/employees/-/employee/sletmoen
Biveileder/-e:	
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Importance of altered mucin glycosylation for molecular
Preliminary title:	interactions and cancer progression.

#### Background and Goal:

Changes in glycosylation occur in essentially all types of cancers and changes in mucin-type O-linked glycans are the most prevalent aberrant glycophenotype. The aberrant glycosylation seen in cancer results in the multiple O-linked glycans carried by mucins being mainly short and sialylated, in contrast to the long, branched chains seen on mucins expressed by normal epithelial cells. In carcinomas this aberrant glycosylation can alter the interaction of the mucin with lectins of the immune system8 and thereby influence tumor-immune interplay. While it is clear that expression of mucins carrying short, sialylated glycans enhances tumor growth, the mechanisms underlying this are ill-defined.

We are investigating the effect of this aberrant glycosylation occurring in the majority of human cancers. We are investigating both how certain carbohydrate based tumor-associated antigens interact with specific lectins found on antigen presenting cells, and also the self-interaction abilities of these truncated glycans.





Biomacromolecules to be investigated are immobilized onto flat surfaces for investigations using AFM microscopy (left) or onto the surface of polystyrene beads for investigation using optical tweezers (right).

#### Experimental:

The main experimental approach will be the direct determination of glycan interactions using the sensitive force probes atomic force microscopy (AFM) or optical tweezers (OT). These techniques allow determining intermolecular interaction forces with picoNewton resolution. They are thus powerful tools to provide new information concerning specific biological interactions.

The topic can be adjusted to fit with the expected workload for 60, 30 or 15 credits. Due to limited instrument time max 2 students can be admitted.

Passer for (angi studie-	
retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MTNANO
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:  Main supervisor:	Marit Sletmoen
Kontaktinformasjon / epost Contact information / email:	marit.sletmoen@ntnu.no
Webside / webpage:	https://www.ntnu.edu/employees/-/employee/sletmoen
Biveileder/-e:	Kjell Morten Vårum
Co-supervisor/-s:	Etienne Dague and Helene Martin-Ykes, LAAS, Toulouse, France
Arbeidstittel på oppgaven/ Preliminary title:	Mode of action of antimicrobial agents

Short description of the project:

## Background and Goal:

The awareness for safer control of microbial stability in food and pharmaceutical systems is today increasing. Successful transformation from synthetic pesticides to more environmentally friendly ones requires both identification of alternative pesticide candidates and the establishment of robust structure activity relationships. The aim of the current project is to increase the understanding of both how currently used synthetic pesticides provide their effect as well as to initiate the development of a necessary knowledge base for the natural product chitosan as an antibacterial and antifungal pesticide.

# Experimental:

A library of well-defined chitosan samples with a range of molecular parameters ( $M_w$ ,  $M_w$ -distribution and  $D_A$ ) will be studied. The interaction capacities of these molecules are expected to depend on their cationic and hydrophobic nature, and to be controllable by their molecular parameters. The bacterium *Escherichia coli* and the yeast *Saccharomyces cerevisiae*, are relevant microorganisms to be used to demonstrate structure – antimicrobial activity.

Conclusions concerning the effect of chitosan on the viability of the microorganisms will be based on studies of cells prior to and after exposure to the antimicrobial agent. We hypothesize that early effects of chitosan can be monitored by changes in cell surface charge, morphology and mechanical properties. Relevant experimental tools to monitor these changes include divers' forms of microscopy, zeta potential measurements, and sensitive force probes for determination of mechanical properties of the cells as well as the binding mechanism of the antimicrobial agents to the cell surfaces.


The topic can be adjusted to fit with the expected workload for 60, 30 or 15 credits.


Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MTNANO
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:	Marit Sletmoen
Main supervisor:	Walte Glottingon
Kontaktinformasjon / epost	marit.sletmoen@ntnu.no
Contact information / email:	mant.sietinoen@ntinu.no
Webside / webpage:	https://www.ntnu.edu/employees/-/employee/sletmoen
Biveileder/-e:	Etienne Dague and Helene Martin-Ykes, LAAS, Toulouse, France
Co-supervisor/-s:	Etierine Dague and Helerie Martin-Tres, LAAS, Toulouse, France
Arbeidstittel på oppgaven/	Interactions between mycotoxins and the S. cerevisiae cell
Preliminary title:	wall

#### Background and Goal:

In this project we will study the yeast *Saccharomyces cerevisiae*, also known as baker yeast, and explore at the molecular scale the interactions of mycotoxins with the yeast cell wall. Mycotoxins are secondary metabolites produced by microfungi, which cause diseases and death in humans and animals. These biochemical compounds contaminate staple foods and feeds worldwide (mostly cereals), posing significant food safety concerns. It is therefore both socially important and economically interesting to develop methods aiming at trapping mycotoxins from livestock foods. Lallemand SA, an industrial company specialized in yeast production, has demonstrated the efficient sorption of mycotoxins by yeast cell wall fractions. However, the molecular mechanisms underlying this process are still unknown and the use of cell wall fractions is still empiric. Getting a better understanding of the phenomena involved is of great interest from a fundamental point of view (cell wall organization, architecture) and for industrial applications. the following experiments will be conducted:








Figure: Left: illustration of an optically trapped polystyrene (PS) bead functionalized with a molecule that interactions with binding partners on the yeast cell surface and an optically trapped yeast cell.

During the experiment, the bead and the cell are brought in contact and apart. If a intermolecular bond is formed between molecules on the surface of the bead and the yeast, the coupling of the two particles will lead to displacement of the bead and cell. The displacement allows determining the force acting on the interaction-bond. Middle: Light microscopy image of a solution containing beads and yeast cells. Right: Experimental data obtained when performing experiments as explained in the left panel. The curves display signatures of rupture of interactions formed between yeast and functionalized beads.

#### Experimental:

In order to decipher the biochemical basis of the mycotoxin - yeast interactions, the toxin Fumonisin will be studied. Conclusions concerning the effect of Fumonisin on the viability of the yeast will be based on studies of cells prior to and after exposure. We hypothesize that early effects can be monitored by changes in cell surface charge, morphology and/or mechanical properties. Relevant experimental tools to monitor these changes include divers' forms of microscopy, zeta potential measurements as well as direct determination of mechanical properties of the cells and the binding of the antimicrobial agents to the cell surfaces (see Figure).

The topic can be adjusted to fit with the expected workload for 60, 30 or 15 credits.

Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH, MTNANO
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:  Main supervisor:	Berit L Strand
Kontaktinformasjon / epost Contact information / email:	735094069, Berit.l.strand@ntnu.no
Webside / webpage:	https://www.ntnu.no/ansatte/berit.l.strand
Biveileder/-e:	Finn Aachmann
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Alginate matrices for tissue engineering
Preliminary title:	

Kort beskrivelse av oppgaven / Short description of the project:

## Bakgrunn og mål / Background and Objectives:

Alginate is a attractive biopolymer for use as scaffold (matrix) in tissue engineering. Although alginate entrapment is a very gentle technique for immobilizing living cells, many cells need specific interaction with the matrix for their proliferation and viability. Such anchoring depending behaviour is common for most mammalian cells and the alginate network itself is non-interacting. Peptides known from the extracellular matrix (ECM) to interact with integrins in the cell membrane can be linked to alginate and induce attachment of cells to the alginate. Interactions between ECM and integrins have been shown to determine cell morphology, viability and differentiation, and is thus highly relevant study objects in tissue engineering. Of particular interest is the covalent linkage of peptides that can be used to crosslink the alginate and that cells by secreted enzymes can degrade and by this modify their microenvironment. The aim of the project is to design novel alginate matrices covalent cross-linked with peptides that can be degraded by proteases and with cell adhesion properties.

#### Eksperimental / Experimental methods:

Different peptides will be covalently link to alginate using a novel method developed at IBT, NTNU. NMR spectroscopy, light scattering (SEC-MALS) and viscosity measurements, will be relevant method for product characterisation (e.g. degree of coupling and crosslinking). Hydrogel properties, such as gel elasticity and stability will be studied. Studies of cell interactions with the developed materials on 2D gels and in 3D gels using confocal microscopy may be a part of the project depending on the student interests and the progress of the project.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, MSBIOTECH
Omfang (studiepoeng):	60 studiepoeng / 30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	60 credits / 30 credits / 15 credits (specialization project)

Hovedveileder:  Main supervisor:	Berit L. Strand
Kontaktinformasjon / epost Contact information / email:	berit.l.strand@ntnu.no
Webside / webpage:	http://www.ntnu.edu/biotech/research/biopol
Biveileder/-e:	Abba E. Coron
Co-supervisor/-s:	
Arbeidstittel på oppgaven/	Strategies for stabilising alginate beads of intermediate G
Preliminary title:	content

## Project description:

Alginate microbeads have through many years of research shown great potential as an immunoisolation system for the entrapment of insulin-producing cells. The preferential use of alginate gels in cell immobilisation is primarily due to the gentle environment they provide for the entrapped material. Alginate is a binary heteropolymer containing 1,4-linked β-**D**-mannuronic acid (M) and α-L-guluronic acid (G) residues, known for its gel forming properties in the presence of divalent cations. The use of alginate gels for cell encapsulation provides many challenges related to its application, which includes destabilisation of the gel network in terms of swelling and gel dissolution, as well as increased pore size, at physiological conditions (Mørch et al., 2006). Traditionally, a polycation layer has been applied to stabilise the alginate gel beads. However, the conventional polycation layer (poly-L- lysine) has been found to be highly immune stimulating, associated with cellular overgrowth on the surface of the alginate capsule (Strand et al., 2001), in addition to activating the complement system (Rokstad et al., 2011). The functional properties of alginate are essentially governed by the content of M and G. In a recent in vivo study performed by Tam et al. (2011), alginate isolated from Laminaria hyperborea leaf with an intermediate G content was found to be biocompatible. However, the alginate displayed a low degree of stability in terms of swelling and bead fragmentation upon transplantation.

The aim of the current project, with the possibility of a continuation to a master's project, is to explore different strategies for stabilising alginate beads made from *L. hyperborea* leaf alginate, which has already shown to be a promising candidate for cell transplantation in terms of biocompatibility. These strategies include the incorporation of short and extremely long G-blocks into the gelling system, in combination with varying the type and concentration of gelling ions used. The size stability of the alginate beads will be studied at physiological conditions (saline experiments). In addition, the diffusional properties of the added G-blocks will be assessed through fluorescence-labelling of the alginates, followed by confocal-laser-scanning microscopy (CLSM) analysis.

#### Fluorescence-labelled L. hyperborea leaf alginate beads, visualised by CLSM.

# References

Mørch, Y. A., Donati, I., Strand, B. L. & Skjåk-Bræk, G. 2006. Biomacromolecules, 7, 1471-80.

Rokstad, A. M., Brekke, O.-L., Steinkjer, B., Ryan, L., Kollárikóva, G., Strand, B. L., Skjåk-Bræk, G., Lacík, I., Espevik, T. & Mollnes, T. E. 2011. *Acta Biomaterialia*, 7, 2566-2578.

Strand, B. L., Ryan, L., In't Veld, P., Kulseng, B., Rokstad, A. M., Skjåk-Bræk, G. & Espevik, T. 2001. *Cell Transplantation*, 10, 263-275.

Tam, S. K., Dusseault, J., Bilodeau, S., Langlois, G., Halle, J. P. & Yahia, L. 2011. J Biomed Mater Res A, 98, 40-52.

ram, o. re., bacccaare, o., biloacaa	, e., Langiele, e., riane, e. r. a rama, L. Le i i. e Biemed mater ree ii, ee, ie el.
Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MSBIOTECH
Omfang (studiepoeng):	30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	30 credits / 15 credits (specialization project)

Hovedveileder:	Olav Vadstein
Main supervisor:	Olav vaustelli
Kontaktinformasjon / epost	shorlette velne@ntnu ne and elev vedetein@ntnu ne
Contact information / email:	<u>charlotte.volpe@ntnu.no</u> and <u>olav.vadstein@ntnu.no</u>
Webside / webpage:	
Biveileder/-e:	Charlotte Volpe
Co-supervisor/-s:	•
Arbeidstittel på oppgaven/	Evaluation of reactive oxygen species (ROS) production in
Preliminary title:	microalgae

# Background and Objectives:

During the last decades there has been an increased interest in biotechnological applications of microalgae related to bioenergy and as lipid source (LC-PUFAs). In order to use these organisms for large-scale production it is essential to investigate in details how various variables influence productivity. Light is a factor of major importance as it represents the energy source of photosynthetic organisms; but too low or too high light supply will cause disadvantages in terms of growth. When present in excess, it may cause serious damages to the cells due to the formation of harmful reactive oxygen species (ROS) that leads to oxidative stress and in some cases cell death. Algae in a photobioreactor (PBR) are inevitably exposed to variation in light conditions due to mixing and natural changes in irradiation. For a cell shifting between the highly illuminated zones to the darkness, the overall photosynthetic quantum yield depends on the residence time in each zone. Once a photon is absorbed the system needs 1-15 ms to reset itself before being ready to receive another photon. If the exposure to high light conditions and the photon absorption exceed the maximum capacity of the photosystems, the reaction center can incur in over-reduction, ROS production and cell damage/death. The goal of the project is to get a better understanding of ROS production in microalgae, and to evaluate the best time intervals between light and dark to reduce ROS formation as much as possible.

## Experimental methods:

The experiment will be done with one or two species of microalgae, cultured in 96 well plates. The cultures will be exposed to different light conditions carried out by a microplate light incubator. Three different light intensities will be used (three plates – high, medium, low light). For each plate, 12 different light/dark time intervals will be tested (with 8 replicates). The DCFH-DA method for ROS measurements will be used and detected with fluorescence spectrophotometric analysis. In parallel growth, autofluorescence and quantum yield analysis will be performed. The extent of the work will be adapted to the type of thesis.

	1 /1
Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, and MSBIOTECH
Omfang (studiepoeng):	Kan tilpasses 60, 30 eller 15 studiepoeng
Credits (ECTS):	Can be adapted to 60, 30 credits or 15 credits

Hovedveileder:	Olav Vadstein
Main supervisor:	Olav vaustelli
Kontaktinformasjon / epost	shorlette velne@ntnu ne elev vedetein@ntnu ne
Contact information / email:	charlotte.volpe@ntnu.no olav.vadstein@ntnu.no
Webside / webpage:	
Biveileder/-e:	Charlotte Volpe
Co-supervisor/-s:	·
Arbeidstittel på oppgaven/	Random mutagenesis as a tool for strain improvement in
Preliminary title:	microalgae

# Background and Objectives:

Even if the commercial potential of microalgae has been widely recognized by society, to date large scale production of microalgae for most industrial purpose (e. g. bioenergy, fish-farming, food supplement) are not yet feasible due to high production costs. For biotechnological applications like those mentioned, the phenotypical traits are critical for whether a process is profitable or not. The main strategies that can be used to maximize productivity and reduce costs of large-scale production are: Increase the lipid content per unit of biomass and increase the biomass density per culture volume or area. Strain improvement can be achieved by genetic engineering or by exposing microalgal strains to selection regime that favors certain traits. In this project the second method will be used. Random mutagenesis will be performed to increase the genetic variation in the population; afterwards those cultures will be exposed to selection regimes, which will favor certain traits.

## Experimental methods:

The experiment will be performed on one or two microalgal strains. After the identification of an ideal mutagenic factor the mutagenesis will be performed on the cultures. Afterwards the cells will be exposed to two selection regime: 1) a light regime simulating the light perception of one cell in a photobioreactor that will favor cells with altered photosynthetic antennas; and 2) darkness incubation at a set point of the growth, that will favor cells with the highest lipid content. In parallel, as a control, wild type cells will be exposed to the same selection regime. Growth rate, quantum yield and autofluorescence measurement will be performed in addition to lipid analysis performed with the fluorescence method, Nile Red. The extent of the work will be adapted to the type of thesis.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	MTKJ/MIKJ, MBIOT5, and MSBIOTECH
Omfang (studiepoeng): Credits (ECTS):	Kan tilpasses 60, 30 eller 15 studiepoeng Can be adapted to 60, 30 credits or 15 credits

Hovedveileder:  Main supervisor:	Kjell Morten Vårum
Kontaktinformasjon / epost Contact information / email:	kjell.m.varum@ntnu.no
Webside / webpage:	https://www.ntnu.no/ansatte/kjell.m.varum
Biveileder/-e:	
Co-supervisor/-s:	
Arbeidstittel på oppgaven/ Preliminary title:	Molecular interactions and new gelling concepts between chitosan and fucoidan

Kort beskrivelse av oppgaven / Short description of the project:

#### Bakgrunn og mål / Background and Objectives:

Fucoidan is a new and interesting polysaccharide with an interesting chemical structure and properties. Several bioactivities of fucoidan have been reported, such as anticoagulant, antithrombotic, anti-inflammatory, antiviral and immune stimulating activity. A fucoidan gel (instead of a solution) could provide beneficial properties for its applications, and the goal is to explore the experimental possibilities of preparing such gels.

## **Eksperimental** / **Experimental** methods:

Chitosan-Alginate gelling systems have been studied in our group. Such gels form through ionic interactions between the positive charges on the chitosan molecules and the negative charges on the alginates, and the gelling system is controlled by changes in the pH-value. Like alginate, fucoidan also consist of negatively charged sugar units (highly sulfated fucose units), and would be expected to form gels with the positively charged chitosan through electrostatic interactions. The source for our fucoidan is the Norwegian brown seaweed *Laminaria hyperborea*. This algae is the most important raw material for production of alginate in Norway, and about 160 000 metric tons are harvested along the Norwegian coast annually, from which about 6 000 metric tons of alginate is produced. In addition to alginate, there are also other valuable components in the alga, such as fucoidan, proteins and pigments. Gelling experiments will be performed through rheological methods and Young's modulus measurements, further characterization will be performed by established methods in the biopolymer group.

Passer for (angi studie- retning/hovedprofil/-er): Suitable for main profiles:	Studenter med interesse for biopolymerer
Omfang (studiepoeng):	30 sp studiepoeng / 15 studiepoeng
Credits (ECTS):	30 credits / 15 credits (specialization project)

**Department of Biology** 

Hovedveileder:	Hamile James Associate Backerson Control for Distinguity
Main supervisor:	Henrik Jensen, Associate Professor, Centre for Biodiversity Dynamics, Department of Biology
Main supervisor.	(https://www.ntnu.edu/biology/jensen-lab)
Biveileder(e):	Arild Husby, Thor Harald Ringsby, Bernt-Erik Sæther, and/or
` '	Jonathan Wright may be co-supervisor(s)
Co supervisor	Spatio-temporal dynamics of genes for ecologically
Arbeidstittel på oppgaven	important traits in house sparrows
` /	Important traits in nouse sparrows
(max 20 word): Preliminary titel: Kort beskrivelse av oppgaven (max 300 word): Short description of the project:	Knowing the genetic architecture of ecologically important traits is fundamental to our understanding of many ecological and evolutionary processes in natural populations. I can offer a number of exciting MSc-projects which focus on identifying the genetic architecture of such traits, and the causes and consequences of the traits' genetic architectures. The MSc-projects will use state-of-the-art genomic and eco-evolutionary data from a unique long-term study of a house sparrow ( <i>Passer domesticus</i> ) model system.  Ecologically important traits are traits related to fitness (survival and reproduction) and they will therefore be important for both ecological and evolutionary dynamics in natural populations. Examples of such types of traits are morphological traits behavioural traits, physiological traits, parasite load, and life-history traits. A trait's genetic architecture consists of information on which genes affect the trait, locations of these genes in the genome, and how the genes affect the phenotype.  Eco-evolutionary data have been collected on an individual based level from natural and experimental insular house sparrow populations in northern Norway since 1993. More than 27,000 individuals are included in our data base. The genomic data consists of a reference house sparrow genome, SNP-genotype data on 6500 SNPs for ca. 2300 individuals and 185,000 SNPs for ca. 4000 individuals, and information on polymorphisms within ca. 140 candidate genes for various ecologically important traits.
	The eco-evolutionary and genomic data will be used in statistical analyses to determine genetic architecture by mapping genes for various ecologically important traits using QTL-mapping (linkage mapping/GWAS) and/or study effects of candidate genes directly. Further statistical analyses will then be carried out to examine causes and consequences for spatio-temporal eco-evolutionary dynamics in the model system.  Students choosing one of these MSc-projects will have the opportunity to get experience from fieldwork, molecular genetic laboratory work and cutting edge statistical analyses of eco-
Opposition pages for (and	evolutionary and genomic data.
Oppgaven passer for (angi	Ecology, Behaviour, Evolution and Biosystematics, Natural Resources Management, Biotechnology
studieretning(er)): Suitable for (main profiles):	Resources Management, Diotechnology
Suitable for (main profiles):	

Hovedveileder:	Henrik Jensen, Associate Professor, Centre for Biodiversity
Main supervisor:	Dynamics, Department of Biology
	(https://www.ntnu.edu/biology/jensen-lab)
Biveileder(e):	Postdoc Alina Niskanen
Co supervisor	
Arbeidstittel på oppgaven (max 20 word): Preliminary titel:	The genetic basis for inbreeding depression in house sparrows
Kort beskrivelse av oppgaven (max 300 word): Short description of the project:	Anthropogenic changes of the environment, such as habitat destruction, are the major causes of high rates of population declines and extinctions. As population sizes decline they become vulnerable to inbreeding, which is expected to decrease individual fitness (called inbreeding depression) and population growth rates. As a consequence, inbreeding depression is one of the most important genetic processes affecting the persistence of small and threatened populations. Despite its importance, the genetic mechanisms underlying inbreeding depression are not well known. For example, it is unclear whether inbreeding depression is mainly caused by small genome-wide effects or single genes with large effects.
	We can offer MSc-projects that will focus on I) investigating the genome-wide architecture of inbreeding depression, identify specific loci important for inbreeding depression, and identify the functional genetic variation within these loci, and II) examining the interaction between environmental conditions and inbreeding depression.
	To achieve these goals, the projects will use state-of-the-art genomic tools, long-term individual-based data on fitness and environmental records from a unique study system of pedigreed wild house sparrow ( <i>Passer domesticus</i> ) populations. Data on approximately 4,000 adult house sparrows from 11 Norwegian experimental and non-experimental island populations will be used. The birds have been genotyped for 185,000 genome-wide single nucleotide polymorphisms.
	Students choosing one of these MSc-projects will have the opportunity to get experience from fieldwork, molecular genetic laboratory work and cutting edge statistical analyses of ecoevolutionary and genomic data.
Oppgaven passer for (angi studieretning(er)): Suitable for (main profiles):	Ecology, Behaviour, Evolution and Biosystematics, Natural Resources Management, Biotechnology

Hovedveileder:	Henrik Jensen, Associate Professor, Centre for Biodiversity
Main supervisor:	Dynamics, Department of Biology
1	(https://www.ntnu.edu/biology/jensen-lab)
Biveileder(e):	Thor Harald Ringsby, Bernt-Erik Sæther, and/or PhD-stipendiat
Co supervisor	Dilan Saatoglu may be co-supervisor(s)
Arbeidstittel på oppgaven	The genetics of dispersal in house sparrows
(max 20 word):	
Preliminary titel:	
Kort beskrivelse av	Dispersal (migration) of individuals between populations may
oppgaven (max 300 word):	affect both ecological and evolutionary dynamics and is
Short description of the	consequently a very important process in natural populations. For
project:	example, immigration will increase population size, reduce
	inbreeding and introduce genetic variation. Furthermore, dispersal
	reduces genetic differentiation between populations. Accurate
	knowledge about the number of immigrants and where they
	dispersed from is crucial to understand both causes and
	consequences of dispersal.
	I can offer exciting MSc-projects where the goal is to combine
	ecological data with genetic analyses to identify the number and
	origin of immigrants to natural island-populations of house
	sparrows ( <i>Passer domesticus</i> ) at the Helgeland coast in northern
	Norway. This information will then be used to identify population
	and landscape characteristics that explain variation in dispersal in
	space and time, and to examine the consequences of dispersal for
	both ecological, population genetic and evolutionary processes.
	Eco-evolutionary data on e.g. dispersal has been collected on an
	individual based level from 18 natural house sparrow populations
	in an island metapopulation at Helgeland since 1993. In total more
	than 17,500 individuals are included in this data base. The genetic
	data consists of genotypes on 14 microsatellites for >12000
	individuals, SNP-genotype data on 6500 variable SNPs distributed
	across the genome for ca. 1100 individuals, and SNP-genotype
	data on 185,000 SNPs for ca. 3300 individuals.
	Students choosing one of these MSc-projects will have the
	opportunity to get experience from fieldwork, molecular genetic
	laboratory work and cutting edge statistical analyses of eco-
	evolutionary and genomic data.
Oppgaven passer for (angi	Ecology, Behaviour, Evolution and Biosystematics, Natural
studieretning(er)):	Resources Management, Biotechnology
Suitable for (main profiles):	

Main supervisor:    Dynamics, Department of Biology (https://www.ntnu.edu/biology/jensen-lab)	Hovedveileder:	Henrik Jensen, Associate Professor, Centre for Biodiversity
Biveileder(e): Co supervisor Arbeidstittel på oppgaven (max 20 word): Preliminary titel: Kort beskrivelse av oppgaven (max 300 word): Short description of the project:  Egg colour and egg colour pattern has been shown to affect fitness in a number of bird species. This may be because colour and pattern influence the level of camouflage against predation or because colour and pattern intra-specificially (e.g. by cockoo) or intra-specificially (ægg dumping»).  The goal of the MSc-project is to estimate the heritability (additive genetic variance) of egg colour and egg pattern, as well as genetic correlations between these traits and other fitness-related traits in house sparrows (Passer domesticus). Such estimates are very rare because few data sets exist where such analyses are possible. The project will then examine the effect of egg colour and pattern on individual fitness (measured by survival and reproductive output).  Data on egg colour and egg pattern has been collected in up to five insular house sparrow populations at Helgeland between 2003 and 2009. Digital photographs that can be used to determine egg colour and egg pattern have been taken of more than 400 clutches. Clutches were assigned to individual females by genetic parentage analyses. Large and genetically determined pedigrees (containing almost 10,000 individuals) will be used with the data on egg colour and pattern to estimate quantitative genetic parameters using "animal models".  Students choosing this MSc-project will have the opportunity to get experience from fieldwork, molecular genetic laboratory work, quantitative genetic analyses, and statistical analyses of eco-evolutionary data.  Coppgaven passer for (angi studieretning(er)):  Resources Management, Biotechnology		=
Biveileder(e):   Co supervisor   Arbeidstittel på oppgaven (max 20 word):   Preliminary titel:   Kort beskrivelse av oppgaven (max 300 word):   Short description of the project:   Egg colour and egg colour pattern has been shown to affect fitness in a number of bird species. This may be because colour and pattern influence the level of camouflage against predation or because colour and pattern may affect the probability of egg parasitism, either intra-specificially (e.g. by cockoo) or intra-specificially (wegg dumping»).    The goal of the MSc-project is to estimate the heritability (additive genetic variance) of egg colour and egg pattern, as well as genetic correlations between these traits and other fitness-related traits in house sparrows (Passer domesticus). Such estimates are very rare because few data sets exist where such analyses are possible. The project will then examine the effect of egg colour and pattern on individual fitness (measured by survival and reproductive output).    Data on egg colour and egg pattern has been collected in up to five insular house sparrow populations at Helgeland between 2003 and 2009. Digital photographs that can be used to determine egg colour and egg pattern have been taken of more than 400 clutches. Clutches were assigned to individual females by genetic parentage analyses. Large and genetically determined pedigrees (containing almost 10,000 individuals) will be used with the data on egg colour and pattern to estimate quantitative genetic parameters using "animal models".    Students choosing this MSc-project will have the opportunity to get experience from fieldwork, molecular genetic laboratory work, quantitative genetic analyses, and statistical analyses of ecovolutionary data.    Egg colour and pattern to a degun pattern and pattern or a degun pattern patt		(https://www.ntnu.edu/biology/jensen-lab)
Arbeidstittel på oppgaven (max 20 word): Preliminary titel: Kort beskrivelse av oppgaven (max 300 word): Short description of the project:  Egg colour and egg colour pattern has been shown to affect fitness in a number of bird species. This may be because colour and pattern influence the level of camouflage against predation or because colour and pattern may affect the probability of egg parasitism, either intra-specificially (e.g. by cockoo) or intra-specificially (e.g. dumping»).  The goal of the MSc-project is to estimate the heritability (additive genetic variance) of egg colour and egg pattern, as well as genetic correlations between these traits and other fitness-related traits in house sparrows (Passer domesticus). Such estimates are very rare because few data sets exist where such analyses are possible. The project will then examine the effect of egg colour and pattern on individual fitness (measured by survival and reproductive output).  Data on egg colour and egg pattern has been collected in up to five insular house sparrow populations at Helgeland between 2003 and 2009. Digital photographs that can be used to determine egg colour and egg pattern have been taken of more than 400 clutches. Clutches were assigned to individual females by genetic parentage analyses. Large and genetically determined pedigrees (containing almost 10,000 individuals) will be used with the data on egg colour and pattern to estimate quantitative genetic parameters using "animal models".  Students choosing this MSc-project will have the opportunity to get experience from fieldwork, molecular genetic laboratory work, quantitative genetic analyses, and statistical analyses of eco-evolutionary data.  Oppgaven passer for (angi studieretning(er)):  Egg colour and egg colour pattern has been shown to affect fitness in a number of bird species. This may be because colour and pattern on individual fitness (measured by survival and egg pattern, as well as genetic correlations of the probability of egg parasitism, either intra-specifici	Biveileder(e):	
Preliminary titel:   Egg colour and egg colour pattern has been shown to affect fitness oppgaven (max 300 word):   Short description of the project:   Egg colour and egg colour pattern has been shown to affect fitness in a number of bird species. This may be because colour and pattern influence the level of camouflage against predation or because colour and pattern may affect the probability of egg parasitism, either intra-specificially (e.g. by cockoo) or intra-specificially («egg dumping»).		
oppgaven (max 300 word): Short description of the project:  in a number of bird species. This may be because colour and pattern influence the level of camouflage against predation or because colour and pattern may affect the probability of egg parasitism, either intra-specificially (e.g. by cockoo) or intra-specificially («egg dumping»).  The goal of the MSc-project is to estimate the heritability (additive genetic variance) of egg colour and egg pattern, as well as genetic correlations between these traits and other fitness-related traits in house sparrows (Passer domesticus). Such estimates are very rare because few data sets exist where such analyses are possible. The project will then examine the effect of egg colour and pattern on individual fitness (measured by survival and reproductive output).  Data on egg colour and egg pattern has been collected in up to five insular house sparrow populations at Helgeland between 2003 and 2009. Digital photographs that can be used to determine egg colour and egg pattern have been taken of more than 400 clutches. Clutches were assigned to individual females by genetic parentage analyses. Large and genetically determined pedigrees (containing almost 10,000 individuals) will be used with the data on egg colour and pattern to estimate quantitative genetic parameters using "animal models".  Students choosing this MSc-project will have the opportunity to get experience from fieldwork, molecular genetic laboratory work, quantitative genetic analyses, and statistical analyses of ecoevolutionary data.  Oppgaven passer for (angi studieretning(er)):  Ecology, Behaviour, Evolution and Biosystematics, Natural Resources Management, Biotechnology	(max 20 word): Preliminary titel:	sparrows
genetic variance) of egg colour and egg pattern, as well as genetic correlations between these traits and other fitness-related traits in house sparrows (Passer domesticus). Such estimates are very rare because few data sets exist where such analyses are possible. The project will then examine the effect of egg colour and pattern on individual fitness (measured by survival and reproductive output).  Data on egg colour and egg pattern has been collected in up to five insular house sparrow populations at Helgeland between 2003 and 2009. Digital photographs that can be used to determine egg colour and egg pattern have been taken of more than 400 clutches. Clutches were assigned to individual females by genetic parentage analyses. Large and genetically determined pedigrees (containing almost 10,000 individuals) will be used with the data on egg colour and pattern to estimate quantitative genetic parameters using "animal models".  Students choosing this MSc-project will have the opportunity to get experience from fieldwork, molecular genetic laboratory work, quantitative genetic analyses, and statistical analyses of ecoevolutionary data.  Oppgaven passer for (angi studieretning(er)):  Resources Management, Biotechnology	oppgaven (max 300 word): Short description of the	in a number of bird species. This may be because colour and pattern influence the level of camouflage against predation or because colour and pattern may affect the probability of egg parasitism, either intra-specificially (e.g. by cockoo) or intra-
insular house sparrow populations at Helgeland between 2003 and 2009. Digital photographs that can be used to determine egg colour and egg pattern have been taken of more than 400 clutches. Clutches were assigned to individual females by genetic parentage analyses. Large and genetically determined pedigrees (containing almost 10,000 individuals) will be used with the data on egg colour and pattern to estimate quantitative genetic parameters using "animal models".  Students choosing this MSc-project will have the opportunity to get experience from fieldwork, molecular genetic laboratory work, quantitative genetic analyses, and statistical analyses of ecoevolutionary data.  Oppgaven passer for (angi studieretning(er)):  Ecology, Behaviour, Evolution and Biosystematics, Natural Resources Management, Biotechnology		genetic variance) of egg colour and egg pattern, as well as genetic correlations between these traits and other fitness-related traits in house sparrows ( <i>Passer domesticus</i> ). Such estimates are very rare because few data sets exist where such analyses are possible. The project will then examine the effect of egg colour and pattern on
get experience from fieldwork, molecular genetic laboratory work, quantitative genetic analyses, and statistical analyses of ecoevolutionary data.  Oppgaven passer for (angistudieretning(er)):  Ecology, Behaviour, Evolution and Biosystematics, Natural Resources Management, Biotechnology		insular house sparrow populations at Helgeland between 2003 and 2009. Digital photographs that can be used to determine egg colour and egg pattern have been taken of more than 400 clutches. Clutches were assigned to individual females by genetic parentage analyses. Large and genetically determined pedigrees (containing almost 10,000 individuals) will be used with the data on egg colour and pattern to estimate quantitative genetic parameters
studieretning(er)): Resources Management, Biotechnology		get experience from fieldwork, molecular genetic laboratory work, quantitative genetic analyses, and statistical analyses of ecoevolutionary data.
Suradic for (main profites).	Suitable for (main profiles):	Tecouries management, Biotecimology

Hovedveileder:	Henrik Jensen, Associate Professor, Centre for Biodiversity
Main supervisor:	Dynamics, Department of Biology
-	(https://www.ntnu.edu/biology/jensen-lab)
Biveileder(e):	Bernt-Erik Sæther, Thor Harald Ringsby, Henrik Pärn, and/or
Co supervisor	PhD-student Sindre Sommerli may be co-supervisor(s)
Arbeidstittel på oppgaven	Population genetics of water voles
(max 20 word):	
Preliminary titel:	
Kort beskrivelse av	To understand populations' ability to evolve in response to
oppgaven (max 300 word):	environmental change and persist in the face of habitat
Short description of the	fragmentation and spatio-temporal fluctuations in demography due
project:	to e.g. anthropogenic effects, it is important to understand the
	causes and consequences of temporal changes in genetic variation
	within and between populations. In 2015 we started a large-scale
	field study on water voles (Arvicola amphibius) on islands at the
	coast of Helgeland. Our aim is that this will be a model system we
	can use to examine questions related to population dynamics and
	population genetics processes in such a fragmented system, which
	has large spatio-temporal fluctuations in population size.
	I can offer exciting MSc-projects with focus on important
	population genetics processes in water voles; inbreeding, genetic
	drift, genetic bottlenecks, founder events, and genetic population
	structure.
	Methods for genotyping individual voles on 13 microsatellites are
	already established. In addition, we will in collaboration with a
	research group at the University of Aberdeen develop high-
	throughput genomic resources for water voles that we aim to use
	in the proposed MSc-projects.
	Students choosing these MSc-projects will gain skills in carrying
	out high-quality fieldwork on the beautiful Helgeland coast,
	experience with molecular genetic laboratory work, and good
	knowledge about statistical analyses of population genetic data.
Oppgaven passer for (angi	Ecology, Behaviour, Evolution and Biosystematics, Natural
studieretning(er)):	Resources Management, Biotechnology
Suitable for (main profiles):	

Hovedveileder:	Åse Krøkje
Main supervisor: Biveileder(e):	
Co supervisor	
Arbeidstittel på oppgaven	Induction of genotoxic endpoints and biotransformation
(max 20 word):	enzymes in liver cells (cell line) exposed to defined mixtures
Preliminary titel:	of chemical compounds.
Preliminary titel:  Kort beskrivelse av oppgaven (max 300 word): Short description of the project:	Cells from rat or fish liver (cell line) will be exposed for mixtures of pollutants, in environmentally relevant concentrations, <i>in vitro</i> . Compounds in mixtures will often interact, and result in a higher (synergistic) or a lower (antagonistic) effect compared with that of a single-component exposure. To improve hazard identification and environmental risk evaluation, it is important to study how pollutants behave in mixtures.  The aim of these projects is to develop and test out methods to evaluate complex mixtures with regard to interaction effects, which can occur between single compounds in a mixture. Pollutants, which occur in the terrestrial or aquatic environment, will be used in environmentally relevant concentrations. A statistical method for experimental design will be used to achieve a cost- and time effective performance of mixture studies, most probably factorial design.  Eventual interactions will be studied by use of genotoxic endpoints (f ex DNA-adducts, DNA-strand breaks, micronucleus or chromosomal aberrations) or induction of biotransformation enzymes (CYP1A1 and conjugation enzymes).  Multivariate regression models, such as projection to latent structures (PLS), can be used to evaluate possible interactions in mixtures.
Oppgaven passer for (angi studieretning(er)): Suitable for (main profiles):	Environmental Toxicology and Chemistry

Hovedveileder:	Jens Rohloff
Main supervisor:	
Biveileder(e):	Richard Strimbeck
Co supervisor	
Arbeidstittel på oppgaven	Ecological Urban Production of Vegetables
(max 20 word):	
Preliminary title:	
Kort beskrivelse av	The master project(s) is/are integrated as part of a regional research
oppgaven (max 300 word):	project aiming at the utilisation of compost derived from manure
Short description of the	and food waste for the ecological production of vegetables. Major
project:	active partners involve Skjetlein vgs (Naturbrukslinje) and the
	company Global Green Energy (GGE).
	Sub-goals include
	(a) Development and optimisation of compost products (mixtures)
	to be used as growth substrate
	(b) Increase knowledge about innovative soil substrate(s) by the
	use of a compost bioreactor
	(c) Improve recruitment to education and research within urban
	farming and ecological food production
	Possible master projects:
	1. Investigation of effects of compost products in vegetable
	production (e.g. tomato, salad, herbs) on crop growth, yield and
	quality. Focus areas: plant physiology, phytochemistry, food
	chemistry
	2. Investigation of effects of manure/food waste ratio and
	bioreactor conditions on composting process and composition with
	regard to soil substrate quality and commercial value. Focus areas:
	microbiology, biochemistry, agriculture
Oppgaven passer for (angi	Biology, Biotechnology, LUR
studieretning(er)):	
Suitable for (main profiles):	

Hovedveileder:	Thorsten Hamann
Main supervisor:	
Biveileder(e):	Timo Engelsdorf
Co supervisor	
Arbeidstittel på oppgaven	Functional analysis of candidate genes mediating plant cell
(max 20 word):	wall integrity maintenance
Preliminary title:	
Kort beskrivelse av	The plant cell wall is the first line of defense of all plants against
oppgaven (max 300 word):	stress. It is a highly dynamic structure, which also provides
Short description of the	different materials relevant for society. Plant cell wall signaling
project:	processes are essential during defense and are also intricately
	involved in maintaining functional integrity of the cell wall during
	growth and response to biotic stress. Recently the host lab has
	performed extensive transcriptomics and phospho-proteomics
	experiments to identify genes maintaining plant cell wall integrity
	during development and defense in <i>Arabidopsis thaliana</i> .
	The aim of the project is to functionally characterize several of
	these candidate genes in order to dissect the molecular mechanism
	underlying plant cell wall integrity maintenance. The project will
	initially involve sterile tissue culture work to generate biological
	material, qRT-PCR-based confirmation of transcriptomics results,
	LC-MS-based measurements of phytohormones in gene knockout
	plants, cloning of reporter-protein fusion and promoter reporter
	constructs, which will be followed by generation of transgenic
	plants to perform cellbiological and expression studies using
	advanced microscopy (confocal microscopy in combination with
	image analysis). Generating the data on gene function is the
	prerequisite to achieve the long-term of this project, which is to
	use the genes identified in Arabidopsis as leads to improve
	performance of food crops and facilitate bioenergy production
	from ligno-cellulosic biomass.
Oppgaven passer for (angi	Biologi, bioteknologi
studieretning(er)):	
Suitable for (main profiles):	

Hovedveileder:	Thorsten Hamann
Main supervisor:	
Biveileder(e):	Timo Engelsdorf
Co supervisor	
Arbeidstittel på oppgaven	Development of novel analytical tools to analyze plant cell
(max 20 word):	wall signaling
Preliminary title:	
Kort beskrivelse av	Plant cell wall signaling processes are essential during interaction
oppgaven (max 300 word):	between the plant and the environment as well as during
Short description of the	development. They are also intricately involved in maintaining
project:	functional integrity of the cell wall during growth and response to biotic stress. Currently there are no suitable tools available to study early, fast cell biological processes during cell wall integrity maintenance. The host lab has performed recently extensive transcriptomics experiments and identified genes, which are responding to cell wall integrity impairment. The aim of the project is to use the candidate genes as starting place to develop novel markers. The project will initially involve tissue culture work to generate biological material, qRT-PCR-based confirmation of transcriptomics results and cloning of reporter-protein fusion constructs, which will be followed by generation of transgenic plants to perform cellbiological studies of the reporter fusion constructs using advanced microscopy (confocal microscopy in combination with image analysis).
Oppgaven passer for (angi	Biologi, bioteknologi
studieretning(er)):	
Suitable for (main profiles):	

Hovedveileder:	Professor Berit Johansen
Main supervisor: Biveileder(e):	Dr. Astrid Feuerherm, Dr Thuy Nguyen, Dr. Linn-Karina Selvik
Co supervisor	Diritatina Coomonii, Diritay Ngayon, Dir Emiritaniia Cornit
Arbeidstittel på oppgaven	Lipid signaling mechanisms in inflammation.
(max 20 word):	
Preliminary tittel:	
Kort beskrivelse av	
oppgaven (max 300 word): Short description of the project:	Obesity is a major risk factor for lifestyle diseases. Lifestyle is affecting severity of chronic diseases, including cardiovascular diseases and rheumatism. Common symptom between obesity, lifestyle and chronic disease is inflammation (1,2).
	Investigations regarding molecular mechanisms of inflammation will give insights on how different aspects of lifestyle, hormonal responses, e.g. insulin, will affect disease progression and severity (3,4).
	Hormones under study include cytokines, insulin, chemokines, eicosanoids and adipokines.
	Model systems: Synoviocytes, cellular model for rheumatoid arthritis; Monocytes, cellular model for white blood cells.
	Possible master theses:
	Characterization of insulin signaling in synoviocytes     Characterization of adipokin signaling in synoviocytes     Characterization of microRNA as a regulatory mechanism of synoviocyte biology
	4) Characterisation of TLR2/4-induced responses, and possible involvement of cPLA2 in an osteoclast cell model
	5) Metabolomics detection human samples (collaboration with Dr Jens Rohloff) 6) Systems biology of human intervention samples (collaboration with Prof. Martin Kuiper.
Oppgaven passer for (angi studieretning(er)): Suitable for (main profiles):	MBIOT5, MBI-celle/molekylærbiologi, MSc Biotechnology (2yr)

- 1. WHO, Global status report on noncommunicable diseases 2010. Description of the global burden of NCDs, their risk factors and determinants., WHO, Editor. 2011. p. 1-176.
- 2. Kelly, T., et al., *Global burden of obesity in 2005 and projections to 2030.* International Journal of Obesity, 2008. **32**(9): p. 1431-1437.
- 3. Ouchi, N., et al., Adipokines in inflammation and metabolic disease. Nat Rev Immunol. 11(2): p. 85-97.
- 4. Gregor, M.F. and G.S. Hotamisligil, Inflammatory mechanisms in obesity. Annu Rev Immunol, 2011. 29: p. 415-45.

Hovedveileder:	Martin Kuiper - <u>kuiper@ntnu.no</u> - 73550348 - DU1-111
Main supervisor:	IBI
Biveileder(e):	Astrid Lagreid, IKM-DMF; several other co-supervisors (IBI,
Co supervisor	IBT) are possible, depending on the design of the master proposal.
Arbeidstittel på oppgaven	Implementation of Boolean models for cell perturbation
(max 20 word):	analysis and drug development
Preliminary titel:	
Kort beskrivelse av oppgaven (max 300 word): Short description of the project:	The use of network and model based approaches to describe, explain and understand biological processes is an essential approach in Systems Biology. Tools that enable this approach range from Cytoscape (network based) to CellDesigner (pathway-
	based) to full-fledged mathematical modeling platforms. One of the more basic modeling paradigms is based on Boolean logics, where interactions between model components (proteins, genes)
	only need to be described in terms of activation and inhibition, and the regulatory rules are described using AND, OR, and NOT
	logics. We are developing user-friendly, semi-automated software tools (see Flobak et al 2015), in the new initiative DrugLogics (www.DrugLogics-NTNU.org), part of the NTNU Digital Life
	theme. DrugLogics aims to develop Boolean model based
	approaches to help develop Personalized Medicine approaches to
	treat cancer. This initiative offers possibilities for a variety of
	Master projects:
	- The assembly of a 'causal statement' knowledge base that integrates information from resources like Reactome and
	SIGNOR that can be used to build Boolean models  - The use of our curation tool SciCura to convert information from literature in the form of causal statements to the
	knowledge base
	- The building of Boolean models to simulate the effect of experimental perturbations on the behavior of specific cells (plant, animal, microorganism)
	- The simulation of these Boolean models to predict the
	effects of mutations or other perturbations and the subsequent experimental validation
	- and many more
Oppgaven passer for (angi	Biology / Biotechnology
studieretning(er)):	
Suitable for (main profiles):	
Reference:	Flobak Å et al. Discovery of drug synergies in gastric cancer cells predicted by logical modelling. PloS Comp. Biol. 2015 DOI: 10.1371/journal.pcbi.1004426.
	www.druglogics-ntnu.org
	www.colosys.org
	https://www.ntnu.edu/crossover-research
	https://www.ntnu.edu/health/druglogics
	www.reactome.org, http://signor.uniroma2.it/

Hovedveileder:	
Main supervisor:	Augustine Arukwe
Biveileder(e):	
Co supervisor	
Arbeidstittel på oppgaven	Identification of key cellular targets of toxicants as potential
(max 20 word):	xenosensor biomolecules in fish
Preliminary titel:	
Kort beskrivelse av	
oppgaven (max 300 word): Short description of the project:	Our group is part of a big NFR funded biotechnology "Digital life" project entitled "dCod 1.0: decoding systems toxicology of Atlantic cod (Gadus morhua) — environmental genomics for ecosystem quality monitoring and risk assessment" in collaboration with several national (UiB, UiO, NMBU) and international partners The project will pursue a research line in environmental omics that identifies key cellular targets of toxicants as potential xenosensor biomolecules. An illustrating example is the use of transcription factors such as the peroxisome proliferator-activated receptors (PPARs), aryl hydrocarbon receptor (AhR) and estrogen receptor (ER) in multiple assays for toxicants and endocrine disruptors in fish
	systems. We are looking for 4-5 master students to work together with a PhD fellow in delivering our part of the project. We will develop and structure out a candidate-specific <i>in vivo</i> or <i>in vitro</i> research plan that fits with the overall aims of dCod.
	Otherwise, the overall objective of our research is to develop diagnostic gene, enzyme and protein response tools in the study of the molecular and physiological mechanisms of the effects of xenoestrogens and xenobiotic, and their interactions in wildlife species. In our laboratory, these studies are performed in both <i>in vitro</i> and <i>in vivo</i> systems.
Oppgaven passer for (angi studieretning(er)): Suitable for (main profiles):	Environmental Toxicology and Chemistry; cell and molecular biology

Main supervisor:	Tor Jørgen Almaas
Co supervisor	
Preliminary title:	Electrophysiological characterization of receptor neurons on insects: taste receptors (feet, flagellum, mouth-parts), receptors for temperature, humidity and touch (antenna, feet), olfactory receptors (flagellum).  (One student – one sensory modality)
Short description of the	By electrophysiological techniques the neurophysiological
project:	properties of sensory neurons will be described: sensitivity,
	specificity and temporal response pattern.
	Electrochemically sharpened tungsten electrodes or glass capillary electrodes are being positioned by micromanipulators in the extracelluar space close to the receptor cell in order to record actionpotentials as respons to the relevant stimulus. Special designed stimulation equipment are applied for the stimulation procedures.
	Please contact the supervisor for more information about the lab and how to design the individual project.
Suitable for (main profiles):	Physiology, ecology, cell biology
Samuele for (main profites).	1 11 10 10 10 g j , 00 10 g j

Hovedveileder:	Rolf Erik Olsen
Main supervisor:	KOII LIIK OISCII
Biveileder(e):	Bjørg Egelandsdal, Erik Slinde, NMBU
Co supervisor	Bjørg Egerandsdar, Erik Sinide, Wilde
Arbeidstittel på oppgaven	Krebs cycle in fish performance and quality
(max 20 word):	The second in the internation with quality
,	
Preliminary titel:  Kort beskrivelse av oppgaven (max 300 word): Short description of the project:	The Krebs cycle is running in cell mitochondria and is the main provider of NADH for the synthesis of ATP which is the energy all living organisms need for growth and survival. Limitations in intermediates in the cycle will limit available energy for the animal.  In a growing animal increasing the Krebs cycle output can increase energy availability and therefore growth performance over time.  In pigs being slaughtered, boosting the Krebs cycle has been shown to increase product quality. The cause is unknown, but it is probably linked to a faster depletion of tissue oxygen and thereby lower lipid peroxidation. It is currently unknown if these mechanisms are valid in fish. But salmon in particular is a fatty species with high potential for rancidity.  The project will include feeding studies, quality assessment and cell tissue cultures.
Oppgaven passer for (angi studieretning(er)):	Nutrient chemistry, chemistry, aquaculture, cell biology
Suitable for (main profiles):	

	Test were a second and a second a second and
Main supervisors:	Kjell Inge Reitan, Geir Johnsen, Atle Bones, Yngvar Olsen (one)
Co supervisors:	Jorunn Skjermo, Silje Forbord, Aleksander Handå (one or two)
Preliminary title:	MACROSEA - A knowledge platform for industrial macroalgae cultivation in Norway (2016-2019)
Short description of the project:	You will take part in the enthusiastic MACROSEA project team at SINTEF and NTNU and contribute to successful and predictable production of high quality biomass making significant steps towards industrial macroalgae cultivation in Norway.
	Production Biology  Seedling Biology  Sea Cultivation  Marine Modelling Disease  MACROSEA
	Spores Gamethophytes  Seedling, Deployment and Harvest Technology  Sea High quality Farms macroalgae
<	Technology  Management, Coordination and Dissemination  Technology
MACROSEA	The primary objective is to establish an interdisciplinary knowledge platform on fundamental production biology and technology for macroalgae cultivation over a wide range of climatic, ecological and physical conditions. Secondary objectives are: (i) to increase the principal knowledge on biological performance and environmental requirements for optimized chemical composition and biomass production, and (ii) to obtain technological specifications and develop generic model and simulation tools for farm systems and biomass production. The brown kelps <i>Saccharina latissima</i> and <i>Alaria esculenta</i> (large volumes, low value), and the red alga <i>Palmaria palmata</i> (small volumes, high value) will be studied as promising species for industrial cultivation in Norway.
	<ul> <li>Topics for 5-7 master thesis in MACROSEA:</li> <li>Develop cultivation and quality parameters</li> <li>Develop quality indicators (genetic markers)</li> <li>Characterize importance of light</li> <li>Characterize N metabolism and photosynthetic capabilities</li> <li>Characterize NH4 uptake (IMTA)</li> </ul>
	<ul> <li>Measure quality parameters for seedlings with different latitudinal origin (Western, Mid and Northern Norway)</li> <li>Perform a regional study of growth and quality together in Western, Mid and Northern Norway</li> </ul>
	Contact: Project leader Aleksander Handå.  Aleksander.handa@sintef.no - mob. 91577232
Suitable for:	Marine Biology, Aquaculture, Photobiology, Cell biology, Genetics
Suitable for.	That the Diology, Aquaeuttaic, I notoolology, een olology, deficties

Main supervisor:	Professor Kjell Inge Reitan (NTNU)
	Kjell.i.reitan@ntnu.no
Co supervisors	Seniorforsker Aleksander Handå (SINTEF)
D 11 1 20	Forsker Kari Attramadal (SINTEF)
Preliminary title (max 20	Cultivation of Polychaeta for waste treatment, improved resource
word):	utilisation and production of raw material for feed in aquaculture:
	Thesis I: Growth and reproduction of polychaetes under
	intensive culture conditions
	Thesis II: Metabolism and nutritional value of polychaetes under intensive culture conditions
Short description of the	Motivation: The Norwegian salmon production is estimated to
project (max 300 word):	increase from 1.2 to 3 million tons, with a use of 3.6 million tons
	feed per year in 2030. To realize this growth, there are at least two
	major challenges that must be solved; environmental impact and
	feed supply. There is accordingly a need to develop strategies to a)
	decrease waste effluents and bio-deposit impacts from aquaculture
	and b) replace feed ingredients with proteins and lipids from new
	resources outside the human food chain. Polychaetes of the <i>Nereis</i>
	family seem promising for both.
	<b>Polychaeta</b> are filter- and detritus feeding marine worms that have
	several industrial applications. Polychaete biomass is rich in marine
	fatty acids and a valuable raw material for feed. In addition, the
	polychaetes grow fast at optimal conditions. The ability to convert
	organic waste to high quality biomass is useful in a range of issues
	related to aquaculture. E.g. polychaete cultivation combines waste
	treatment with improved resource utilisation and production of raw
	materials that are in high demand.
	Master thesis
	This will be the first studies of intensive polychaete production as a
	method to treat fish farm wastes in Norway. The main focus will be
	on production biology of polychaetes under intensive culture
	conditions to increase our understanding of:
	Growth and reproduction (Thesis I)
	Metabolism and biochemical composition (Thesis I and II)
	• Nutrient budgets (C,N,P) (Thesis II)
	The potential of polychaetes to recycle wastes from aquaculture
	(Thesis I and II)
	<b>Research team:</b> You will be part of a new enthusiastic research
	team on polychaetes. The team consists of researchers and
	engineers at NTNU Biology and SINTEF Fisheries and
	Aquaculture. You will contribute to the establishment of a
	knowledge platform for decision support to stakeholders
	considering using polychaete cultures to recycle waste effluents
	from various types of aquaculture systems.
Suitable for (main profiles):	Biology/aquaculture

Hovedveileder:	Professor Kjell Inge Reitan, NTNU
Main supervisor:	Kjell.i.reitan@ntnu.no
Biveileder(e):	Research Scientist Matilde S. Chauton, SINTEF
Co supervisor	Research Scientist Kari J. K. Attramadal, SINTEF
Arbeidstittel på oppgaven	Nitrogen-rich waste water from fish farming as a resource in
(max 20 word):	cultivation of microalgae
Preliminary titel:	
	The outlet water from the fish farming tanks contains a lot of nitrogen, in some cases at levels that are relevant as growth fertilizer for successful cultivation of microalgae. This nitrogen concentration of the outlet water may give a microalgae biomass of 10 <sup>6</sup> -10 <sup>7</sup> cells/ml (depending on the algae species). Most of the nitrogen originate from the excretion of the fish and microbial degradation of fish feed. The nitrogen in the water is available as ammonia, nitrite and nitrate. Ammonia (NH <sub>3</sub> ) is toxic to fish, and must therefore be removed from the fish tank systems, and is a waste product in the fish farming units. The microalgae need nitrogen, mainly in the form of nitrate, nitrite or ammonium (NH <sub>4</sub> <sup>+</sup> ). The reuse of the N-rich water from the fish tanks is interesting as a resource in the microalgae production, but we need to have more knowledge about the amount of N that are in water system and what forms it exists in. In this task, we will pick up the water with a fish breeder, and analyze and analyze the main nutrient nitrogen compounds as well as phosphorous, and use the water in cultivation trials with 2-3 different algae. The algaewill be selected among candidates with interesting chemical profile and uses for biomass production.  Timescale: Spring 2016-Autumn 2017
Oppgaven passer for (angi studieretning(er)):	Biology, Biotechnology, Marine Coastal Development
Suitable for (main profiles):	

Hovedveileder:	Prof. Kjell Inge Reitan
Main supervisor:	
Biveileder(e):	Forskere Andreas Hagemann og Matilde S. Chauton, SINTEF
Co supervisor	
Arbeidstittel på oppgaven	Rhodomonas sp. og N-omsetning: Optimalisering av
(max 20 word):	dyrkingsmedium i produksjonssammenheng
Preliminary titel:	
Kort beskrivelse av oppgaven (max 300 word): Short description of the project:	Mikroalgen Rhodomonas sp. er interessant som för i produksjon av hoppekreps, bl.a fordi den har en god fettsyreprofil og balansert proteininnhold. Rhodomonas og andre svelgflagellater har dessuten spesielle pigmenter, fykobiliner, som er rike på N. Den kjemiske profilen varierer imidlertid med dyrkingsbetingelser og varighet på produksjonsperioden, og dette er en utfordring for å etablere stabil produksjon av algebiomasse med forutsigbar kjemisk profil.  Et annet viktig element i storskalaproduksjon av mikroalger er kostnadene ved tilførsel av makronæringsstoffer (N, P el silikat) eller mikronæringsstoffer (spormetaller, vitaminer) og det er veldig relevant å vite mer om hvordan man kan utnytte disse komponentene bedre i dyrkingen. I denne oppgaven vil det derfor være fokus på å dyrke Rhodomonas under ulike vekstbetingelser med fokus på N-omsetningen og biomasseutbytte. Det vil også bli lagt vekt på å se hvor effektivt komponentene i næringsmediet utnyttes, for å foreta en optimalisering av næringsmedium for produksjon av Rhodomonas sp.  Denne oppgaven vil knyttes til arbeidet som foregår hos C-feed, et nyetablert firma som produserer og selger copepode-egg.
Oppgaven passer for (angi	
studieretning(er)):	
Suitable for (main profiles):	

Hovedveileder:	Prof. Kjell Inge Reitan
Main supervisor:	
Biveileder(e):	Forskere Matilde S. Chauton og Kari J. K. Attramadal, SINTEF
Co supervisor	
Arbeidstittel på oppgaven	Bruk av nitrogenrikt vann fra fiskeoppdrett til produksjon av
(max 20 word):	mikroalger
Preliminary titel:	
Kort beskrivelse av oppgaven (max 300 word): Short description of the project:	Vann fra fiskeoppdrettskar inneholder mye nitrogen, i noen tilfeller så mye at det er på nivå med det som tilsettes i standard algedyrkingsmedium og nok til å produsere 10^6-10^7 celler/ml (avhengig av hvilken alge). Mye av nitrogenet stammer fra ekskresjon og urea-produksjon hos fisken og foreligger som ammoniakk, nitritt og nitrat i vannet. Ammoniakk (NH3) er giftig for fisken og man må derfor fjerne det. Mikroalger trenger N, hovedsakelig i form av nitritt eller ammonium (NH4+). Gjenbruk av N-rikt vann fra fiskeanlegg er interessant i mikroalgeproduksjon, men vi må ha mer kunnskap om hvor mye N som er i omløp i vannet og hvilke former det foreligger i. I denne oppgaven vil vi hente vann hos en fiskeoppdretter og analysere og analysere hovednæringsstoffene N og P, og så bruke det i dyrkingsforsøk med 2-3 forskjellige alger. Algene velges ut fra sin kjemiske profil og anvendelsesområder for biomassen.
Oppgaven passer for (angi	
studieretning(er)):	
Suitable for (main profiles):	

Hovedveileder:	Ann- Kristin Tveten
Main supervisor:	
Biveileder(e):	Helene Fjørtoft, Anne Stene
Co supervisor	
Arbeidstittel på oppgaven	Sea lice (L. salmonis) microbiota and their role in dispersal of
(max 20 word):	pathogens
Preliminary title:	
Kort beskrivelse av oppgaven (max 300 word): Short description of the project:	The coastal region of north west Norway have high densities of farmed fish, in addition to several different stocks of wild salmonid species. Increased production have the potential risk of increasing the number and dispersal of pathogenic like virus, parasites and bacteria. Interactions of pathogens between farmed and wild salmonids have been identified. Sea lice is a major problem in both wild and farmed salmonids in areas of high aquaculture activity. Sea lice can potentially delay the national goals of increased growth in the fish farming industry.
	The microbiota may vary geographically and may play a role in dispersal of the multiple pathogens. Known diseases caused by pathogens are; viruses: ILA, IPN, PD, VHS, HSMB, CMS, bacteria; vibriose, BKD, Furunkulose, and Yersiniose- and parasites; Paramoeba perurans (AGD) and Parvicapsul.
	<ul> <li>In this project we would like to:</li> <li>Map the microflora of sea lice to determine the sea lice role as a vector for the pathogen.</li> <li>Establish methods for detection of a selection of the pathogens and determine their prevalence in sea lice.</li> <li>If possible, study geographical variations</li> </ul>
	We would like to focus on the interactions between farmed and wild salmon fish. We would like to focus on the intersection between the environment, the salmonid fish and pathogen in defined areas. The fish will be grouped in farmed salmon, rainbow trout, escaped farmed salmon (time in the sea after the escapes are determined by external confirmation), wild salmon. Collection of wild salmonid fish are in cooperation with the Institute of marine research and NINA and the local fishermen with wedge-net license.
	The project is a part of the PhD for Helene Fjørtoft, and financed through RFF and Miljøskapings fondet
Oppgaven passer for (angi	Marine biology - biotechnology - molecular biology -
studieretning(er)):	microbiology
Suitable for (main profiles):	

Hovedveileder:	Prof. Kjell Inge Reitan
Main supervisor:	
Biveileder(e):	Forskere Matilde S. Chauton, SINTEF
Co supervisor	
Arbeidstittel på oppgaven	Upscaling microalgae biomass production and post-
(max 20 word):	harvesting processing to extract high-value compounds
Preliminary titel:	
Kort beskrivelse av	We are looking for new resources to meet the demands for protein
oppgaven (max 300 word):	and essential lipids in the near future. Microalgae are a promising
Short description of the	resource for applications such as feed production or extraction of
project:	high-value compounds such as lipids. Upscaled biomass
	production is a focus area, and we must solve challenges both
	upstream in the production end and downstream on the harvest and
	processing end. This work will focus on the production of
	microalgae biomass in a pilot system, a 250 L photobioreactor,
	and harvesting e.g. by centrifugation. After harvesting the biomass
	must be stabilized e.g. by lyophilization before it is ready for
	processing. Here the focus will be on obtaining protein-rich bulk
	material and high-value lipids such as EPA/DHA, and analysis of
	the fractions.
Oppgaven passer for (angi	
studieretning(er)):	
Suitable for (main profiles):	

Hovedveileder:	Prof. Kjell Inge Reitan
Main supervisor:	
Biveileder(e):	Forsker Matilde S. Chauton, SINTEF
Co supervisor	
Arbeidstittel på oppgaven	Høyverdi-komponenter fra marine mikroalger: Protein-og
(max 20 word):	lipidinnhold utvalgte mikroalger under varierende
Preliminary titel:	dyrkingsbetingelser.
Kort beskrivelse av oppgaven (max 300 word): Short description of the project:	Mikroalger er en fremtidig kilde til proteiner og fett, inkludert høyverdi-komponenter EPA/DHA som brukes i helsekost og för. Mikroalger har et gunstig proteininnhold, og mange har også et høyt innhold av essensielle fettsyrer. Innholdet varierer imidlertid fra art til art, og med dyrkingsbetingelser. Vi trenger mer kunnskap om proteininnhold og hvilke alger som inneholder mest EPA/DHA, og under hvilke betingelser man får størst utbytte av disse komponentene. Oppgaven består i å dyrke 3-4 ulike mikroalger under forskjellige betingelser og analysere biomasseutbytte, protein- og lipidinnhold og aminosyre/fettsyreprofiler. Relevante dyrkingsbetingelser kan være variasjoner i lyskvalitet (LED vs konvensjonelt lys), temperatur og variasjoner i næringstilgang som f.eks nitrogenbegrensning.
Oppgaven passer for (angi	
studieretning(er)):	
Suitable for (main profiles):	